

## Notices

### **Cardiovascular therapy**

An International Symposium on Cardiovascular Therapy, organised by the Portuguese Society of Cardiology and sponsored by the Clinical Council of the International Society and Federation of Cardiology, the European Society of Cardiology, and its Working Group on Cardiovascular Drug Therapy, will be held in Lisbon on 3 and 4 February 1986. Inquiries to: Professor Salomão S Amram, Portuguese Society of Cardiology, Campo Grande 28-4C, 1700 Lisbon, Portugal.

### **Checking of references**

The British Heart Journal has been able to provide a reference-checking service but can no longer do so; other journals had ceased to offer this many years ago. In future authors should take great care to check at source any reference they cite, or confirm references previously filed by using Index Medicus rather than the published work of another author, which may perpetuate errors.

### **Fetal cardiovascular echography**

A symposium of Current Status and Future Developments in Fetal Cardiovascular Echography will be held at Erasmus University, Rotterdam, on 25 and 26 April 1986. Further information from: Office for Post Graduate Medical Education, Erasmus University Rotterdam, POB 1738, 3000 DR Rotterdam, The Netherlands.

### **Exercise and arrhythmias**

A symposium on exercise in the diagnosis and evaluation of treatment of arrhythmias, arranged jointly by the working group on exercise physiology and the working group on arrhythmias and electrophysiology of the European Society of Cardiology with the Hellenic Cardiological Society, will be held in Athens on 17 to 19 April 1986. Further information may be obtained from: Professor D V Cokkinos, Cardiology Department, Tzanio State Hospital, 5 Dorylaiou Street, 115 21 Athens, Greece.

### **British Cardiac Society**

The Annual General Meeting for 1986 will take place in York on 2 and 3 April 1986, and the closing date for receipt of abstracts will be 2 January 1986.

### **Cardiac pacing and electrophysiology**

The VIIth World Symposium on Cardiac Pacing and Electrophysiology will be held in Jerusalem on 7 to 11 June 1987. Inquiries to: Dr S Feldman, c/o Secretariat, PO Box 50006, Tel Aviv 61500, Israel.

# AUTHOR INDEX

## 1985, Volume 54

- ABDULLAH M *see* Ribeiro P *et al*  
ABELA G S *see* French *et al*  
ABITBOL G *see* Veyrat C *et al*  
ABLETT M B *see* Ilsley C D J & Ablett M B  
ABRAHAMSEN A M *see* Rønnevik P K *et al*  
ADAM W E *see* Wieshamer S *et al*  
AGARWAL A K (& Lochan R G, Beard D, Redding V J) Efficacy of flecainide in the control of ventricular response during exercise in established atrial fibrillation in digitalised patients: its comparison with beta blockade 611 P  
AL FAGIH M *see* Ribeiro P *et al*  
AL-RUFAIE H K *see* Quyyumi A A *et al*  
AL ZAIBAG M *see* Ribeiro P *et al*  
ALBERS C *see* Odemuyiwa O *et al*  
    Pearl I *et al*  
ALLAN L D (& Crawford D C, Anderson R H, Tynan M) Spectrum of congenital heart disease detected echocardiographically in prenatal life 523  
— (& Crawford D C, Chita S K, Anderson R H, Tynan M J) The familial recurrence of congenital heart disease 613 P  
— (& Crawford D C, Tynan M J) Pulmonary atresia in prenatal life 640 P  
ALTMAN D I (& Murray J, Milner S, Dansky R, Levin S E) Asymmetric septal hypertrophy and hypothyroidism in children 533  
AMENDE I (& Seegers A, Simon R, Hetzer R, Lichtlen P R) Functional correlates of cardiac rejection from intramyocardial markers 653 P  
AMEUR A *see* Veyrat C *et al*  
AMLIE J P *see* Ihlen H *et al*  
ANDERSON R H (& Becker A E) Pathways of preferential arterial conduction: correspondence 226  
— *see also* Allan L D *et al*  
    Hegerty A S *et al*  
ANGELINI G D (& Passani S P, Breckenridge I M) Prostacyclin production in saphenous vein from patients receiving aspirin 636 P  
APPLETON D *see* Pearl I *et al*  
ARNIM T VON *see* Von Arnim T  
ARNOLDA L *see* McGrath B P *et al*  
ARTMAN M F *see* Parrish M D *et al*  
AUSTIN A *see* Pearl I *et al*  
BAANDRUP U *see* Ibsen H H W *et al*  
BAER F *see* Verheugt F W A *et al*  
BAKER E J *see* Reidy J F *et al*  
BALARAM U S V (& Karas S, Hallidie-Smith K A) Idiopathic infantile hypercalcaemia (Williams-Beuren syndrome) and associated cardiac anomalies: a clinical and echocardiographic study 652 P  
BALCON R *see* Greenbaum R A & Balcon R  
    Murray N *et al*  
BALDWIN J C *see* McGregor C G A *et al*  
BALL S G *see* Cleland J G F *et al*  
BALLANTYNE D *see* Northcote R J *et al*  
BANIM S O *see* Dymond D S *et al*  
BARBER P V *see* Schofield P M *et al*  
BARBER R *see* Taylor N C *et al*  
BARBER R W *see* Ormerod O J M *et al*  
    Stone D L *et al*  
BARNABY P F *see* Brown M A *et al*  
BATES D *see* Shaw P J *et al*  
BEARD D *see* Agarwal A K *et al*  
BECKER A E *see* Anderson R H & Becker A E  
    Stewart P A *et al*  
BECKET J *see* Fessatidis I *et al*  
BEEN M (& Kean D, Smith M A, Douglas R H B, Best J J K, Muir A L) Nuclear magnetic resonance in hypertrophic cardiomyopathy 48  
BELDER M D *see* de Belder M  
BENNITT D H *see* Molajo A O & Bennett D H  
    Malajo A O *et al*  
    Schofield P M *et al*  
BENTALL H *see* Hackett D *et al*  
BENTALL H H *see* Fessatidis I Th *et al*  
BERNADET P *see* Douste-Blazy P *et al*  
BEST J J K *see* Been M *et al*  
BIASUCCI L M *see* Rebuzzi A G *et al*  
BING R F *see* Heagerty A M *et al*  
BLANCQUAERT A DEVLOO- *see* Devloo-Blancquaert A  
BLAZY P DOUSTE- *see* Douste-Blazy P  
BOUCER R J *see* Parrish M D *et al*  
BOUSSIOU H *see* Douste-Blazy P *et al*  
BOWES R J *see* Schofield P M *et al*  
BOWKER T J (& Cross F W, Rumsby P T, Gower M C, Poole-Wilson P A, Fox K M, Bown S G, Rickards A F) Is localised intracoronary hyperkalaemia a risk of laser angioplasty? 637 P: Which ultraviolet laser wavelengths are selective for atherosomatous as opposed to normal arterial wall? 635 P  
— (& Fox K M, Poole-Wilson P A, Bown S G, Rickards A F) Acute and chronic angiographic effects of in vivo coronary laser angioplasty 634 P  
BOWN S G *see* Bowker T J *et al*  
BOYD E G (& Holt P M, Sowton E) A modified energy delivery system for lower energy ablation 651 P  
BOYLE D MCC *see* Higginson J D S *et al*  
BRAIMBRIDGE M V *see* Saldanha C B R *et al*  
BRANDT P W *see* Brown M A *et al*  
BRANGENBERG R *see* Weil J *et al*  
BRANNAN J J *see* Fessatidis I *et al*  
BRECKENRIDGE I M *see* Angelini G D *et al*  
BRESNAHAN J F *see* Sugrue D D *et al*  
BRITISH CARDIAC SOCIETY Autumn meeting, London, November 1985, proceedings 609  
BROCK T H CLUTTON- *see* Clutton-Brock T H  
BROOKS N *see* Kay P H *et al*  
BROWER R W (& Fioretti P, Simoons M, Haalebos M, Rulf E N R, Hugenholz P G) Surgical versus non-surgical management of patients soon after acute myocardial infarction 460  
BROWN M *see* McEwan J *et al*  
BROWN M A (& Norris R M, Barnaby P F, Geary G G, Brandt P W) Effect of early treatment with propranolol on left ventricular function four weeks after myocardial infarction 351  
BUCKNELL C A *see* Lewis S *et al*  
BUGIARDINI R (& Ferrini D, Galvani M, Gridelli C, Pozzati A, Puddu P, Lenzi S) Effects of vasodilators on exercise capacity and myocardial oxygen supply in patients with angina pectoris and normal coronary arteries 610 P  
BÜHLMAYER K *see* Weil J *et al*  
BUICK B *see* Higginson J D S *et al*  
BULL C *see* Sullivan I D *et al*  
BUN-TAN L B *see* Ribeiro P *et al*  
BUNTON R W (& Shore D F, Keeton B R, Sutherland G R, Monroe

- J L) The management of interrupted aortic arch 625 *P*  
**BURGER J** see Parrish M D *et al*  
**BURTON R W** (& Jones R A, Lang P, Castaneda A R) Anomalous origin of left coronary artery from pulmonary artery: ligation versus establishment of a two coronary system 624 *P*  
**BUSH A** (& Busst C, Shinebourne E A) Does eprostenol (prostacyclin) enhance the selective pulmonary vasodilator effect of oxygen in children with congenital heart disease? 625 *P*  
**BUSST C** see Bush A *et al*  
**BUTROUS G S** (& Davies D W, Debbas N, Erwin J, Camm A J) The clinical significance of ventricular supernormal period in man 641 *P*  
**BUYZERE M** de see De Buyzere M
- CABRERA A** (& Galdeano J, Lekuona I) Persistent left sided fifth aortic arch in a neonate: case report 105  
**CALDER A L** see Neutze J M *et al*  
**CAMM A J** see Burtrous G S *et al*  
 Davies D W *et al*  
 Nathan A W *et al*  
**CAMPBELL R W F** see Wren C *et al*  
**CAMPBELL T J** & Gavaghan T P, Morgan J J) Intravenous sotalol for the treatment of atrial fibrillation and flutter after cardio-pulmonary bypass. Comparison with disopyramide and digoxin in a randomised trial 86  
**CANNING G** see Northcote R J *et al*  
**CAPLIN J L** see Dymond D S *et al*  
**CARRERAS F** (& Thwaites B C, Castle G, Shapiro L, Donaldson R) Pitfalls in the comparison of Doppler estimates of aortic flow velocities with cardiac catheterisation data 649 *P*  
— see also Thwaites B C *et al*  
**CARTLIDGE N E F** see Shaw P J *et al*  
**CASTANEDA A R** see Burton R W *et al*  
**CASTLE G** see Carreras F *et al*  
 Thwaites B C *et al*  
**CATTERALL J R** see Stewart P M & Catterall J R  
**CELLIERS C P** see Gordon N F *et al*  
**CHALENOR V** see Upward J *et al*  
**CHAMBERLAIN D A** Digitalis: where are we now? editorial 227  
— see also Lewis S *et al*  
**CHEESMAN M G** (& Mehta D, Walker J, Redding V J) Severe left main stem stenosis: safety of discharge home to await elective surgery 631 *P*  
**CHIERCHIA S** see Hackett D *et al*  
 McEwan J *et al*  
**CHILD A** see Handler C E *et al*  
**CHITA S K** see Allan L D *et al*  
**CHOPRA P** see Mukhopadhyay A K & Chopra P  
**CILLIERS J F** see Gordon N F *et al*  
**CLARKE D L** see Rees M R *et al*  
**CLARKE L M** see Papouchado M *et al*  
**CLARKSON P M** see Neutze J M *et al*  
**CLELAND J** (& Dargie H J, Findlay I, Wilson J) Effect of amiodarone on arrhythmia and left ventricular function in heart failure 647 *P*  
— (& Gillen G, Dargie H J, Robertson J I S) Effects of enalapril on renal function in heart failure 655 *P*  
— see also Hamilton J R L *et al*  
**CLELAND J G F** (& Dargie H J, Ball S G, Gillen G, Hodzman G P, Morton J J, East B W, Robertson I, Ford I, Robertson J I S) Effects of enalapril in heart failure: a double blind study of effects on exercise performance, renal function, hormones, and metabolic state 305  
**CLEMENT D** see Scheerder I *et al*  
**CLEMENT D L** see Jordans L *et al*  
**CLUTTON-BROCK T H** see Cooper T J *et al*  
**COBBE S M** (& Manley B S) Contrasting effects of the class III agents amiodarone and sotalol in ischaemic myocardium 645 *P*  
**COCKROFT J** see Petri M P *et al*  
**COLEMAN E N** see Houston A B *et al*  
**CONTI C R** see Fenech A *et al*
- CONWAY N** see Keenan D J M *et al*  
**COOKE J** see O'Callaghan C *et al*  
**COOPERT J** (& Clutton-Brock T H, Jones S N, Tinker J, Treasure T) Factors relating to the development of hypertension after cardiopulmonary bypass 91  
**CONROY R** see Daly L *et al*  
**CORNIL A** see Kostucki W *et al*  
**CORR L** see Dollery C T & Corr L  
**COSTA D C** see Walton S *et al*  
**COWLEY A J** (& Stainer K, Rowley J M, Hampton J R) Double blind comparison of the effect of increasing diuretics or adding captopril in the treatment of moderate cardiac failure 638 *P*  
**CRAKE T** (& Westgate C, Shapiro L M) Inappropriate left ventricular hypertrophy in mild hypertension: echocardiographic study in middle aged subjects 649 *P*  
— see also Quyyumi A A *et al*  
**CRAWFORD D C** see Allan L D *et al*  
**CREA F** see Fenech A *et al*  
**CRICHTON E** see Shaw T R D *et al*  
**CRICK J C P** Improved survival with amiodarone in patients with hypertrophic cardiomyopathy and ventricular tachycardia: correspondence 550  
— Reverse delta wave: a reliable sign of impending ventricular fibrillation in right coronary angiography 645 *P*  
— (& Davies D W, Holt P, Curry P V L, Sowton E) Effect of exercise on ventricular response to atrial fibrillation in Wolff-Parkinson-White syndrome 80  
— see also Polydorou A *et al*  
 Timmis A D *et al*  
**CROSS F W** see Bowker T J *et al*  
**CROSSLAND P** see Taylor N C *et al*  
**CUMBERLAND D** see Shiu M F *et al*  
**CUNNINGHAM A D** see Rowland E *et al*  
**CURRY P V L** see Crick J C P *et al*  
 Ladusans E J *et al*
- DALEY P J** (& Sagar K B, Wann L S) Doppler echocardiographic measurement of flow velocity in the ascending aorta during supine and upright exercise 562  
**DALY K** see Timmis A D *et al*  
**DALY L** (& Conroy R, Hickey N, Mulcahy R) Natural history of post-myocardial infarction angina pectoris 610 *P*  
**DANDONA P** see Symons C *et al*  
**DANSKY R** see Altman D I *et al*  
**DARGIE H J** see Cleland J *et al*  
 Cleland J G F *et al*  
 Findlay I *et al*  
 Fisher B M *et al*  
 McLennan J *et al*  
**DAVIES D W** (Wainwright R J, Tooley M, Camm A J) Automatic diagnosis of ventricular tachycardia by new methods of electrogram analysis 641 *P*  
— see also Butrous G S *et al*  
 Crick J C P *et al*  
**DAVIES G** see Hackett D *et al*  
 McEwan J *et al*  
**DAVIES M J** (& Thomas A C) Intramyocardial platelet emboli in unstable angina and sudden ischaemic death 636 *P*  
— see also Dawkins K D *et al*  
**DAVIES J R E** see Shaw T R D *et al*  
**DAWKINS K D** (& Wilson A G, Thomas A C, Davies M J) Post-mortem coronary arteriography following sudden death 611 *P*  
**DAWSON J R** (& Gibson D G) Functional effects of regional left ventricular asynchrony during acute angina 621 *P*  
— (& Thompson D S, Signy M, Juul S M, Turnbull P, Jenkins B S, Webb-Peploe M M) Acute haemodynamic and metabolic effects of doxapamine, a new dopaminergic receptor agonist, in patients with chronic heart failure 313  
**DE BELDER M** see Pumpfrey C W *et al*  
**DE BUYZERE M** see De Scheerder I *et al*

- DE GRAEVE J *see* Douste-Blazy P *et al*
- DE LEVAL M (& Stark J, Karl T, Taylor J F N) Surgical treatment of absent pulmonary valve syndrome 629 *P*
- DE SCHEERDER I (& De Buyzere M, Clement D) Association between post-pericardiotomy syndrome and coronary occlusion after aortic valve replacement: case report 445
- DE ZWAAN C *see* Verheugt F W A *et al*
- DEANFIELD J *see* McKenna W J *et al*
- DEANFIELD J *see* Ortiz E *et al*  
Sullivan I D *et al*
- DEBBAS N *see* Butrous G S *et al*
- DEL TORO S (& Kelly M J, Kaff V, Stellin G, Mee R B B, Venables A W) Non-invasive assessment of pulmonary blood supply after staged repair of pulmonary atresia 209
- DELAGARDELLE C *see* Wieshamer S *et al*
- DELLBORG M (& Held P, Swedberg K, Vedin A) Rupture of the myocardium. Occurrence and risk factors 11
- DENNIS A R (& Richards D A, Ross D L, Uther J B) Comparison of prognostic significance of delayed potentials and inducible ventricular tachycardia in 306 survivors of acute myocardial infarction 609 *P*
- DEVLOO-BLANCQUAERT A *see* van Egmond H *et al*
- DICKIE S *see* McKenna W J *et al*  
Stockins B *et al*
- DICKINSON D F *see* Goldberg S J *et al*
- DION R *see* Kuijper P *et al*
- DÖHLEMANN C *see* Weil J *et al*
- DOIG W B *see* Houston A B *et al*
- DOLLERY C T (& Corr L) Drug treatment of heart failure 234
- DONALDSON R *see* Carreras F *et al*  
Shapiro L M *et al*  
Thwaites C C *et al*
- DORRANCE D E *see* Handler C E *et al*
- DOUGLAS R H B *see* Been M *et al*
- DOUSTE-BLAZY P (& Thiers J C, Valdigue P, Bouissou H, de Graeve J, Bernadet P) Skin apolipoprotein B values in normocholesterolaemic patients with coronary artery disease: a discriminatory test: correspondence 452
- DRUMMOND L *see* Sutherland G R *et al*
- DUNCAN F M *see* Shaw T R D *et al*
- DYMOND D S (& Caplin J L, O'Keefe J C, Flatman W D, Banim S O) Attenuation by calcium blockade of the abnormal response to cold pressor stimulation in patients with ischaemia and normal coronary arteries 637 *P*
- DYSZKIEWICZ W *see* Zerbe F *et al*
- DZIEGIELEWSKI T *see* Zerbe F *et al*
- EAST B W *see* Cleland J G F *et al*
- EDELMANN B *see* von Essen R *et al*
- EDWARDS C R W *see* Shaw T R D *et al*
- EENIGE M J VAN *see* VAN Eenige M J
- EFFERT S *see* von Essen R *et al*
- EGMOND H VAN *see* van Egmond H
- EKROTH R (& Thompson R, Jackson A, Lincoln C) Does elective hypothermic circulatory arrest cause brain damage? Influence of its duration and other perioperative variables in patients with congenital heart disease 640 *P*
- EL-SAYED H *see* Miller G A H *et al*
- ELL P J *see* Smith P L C *et al*  
Walton S *et al*
- EMANUEL R *see* Hayward R *et al*
- EMANUEL R W *see* Walton S *et al*
- ENGLISH T A H *see* Taylor N C *et al*
- ERWIN J (& McWilliams E, Gearty G, Maurer B) Haemodynamic and symptomatic improvement using dual chamber pacing in hypertrophic cardiomyopathy 641 *P*  
—*see also* Butrous G S *et al*
- ESPINER E A *see* Stewart D E *et al*
- ESSEN R VON *see* von Essen R
- EVANS R *see* Linker N J *et al*
- FAGIH M AL *see* Al Fagih M
- FAILLACE R T (& Greenland P, Nanda N C) Rapid expansion of a saccular aneurysm on the left coronary sinus of Valsalva: a role for early surgical repair: case report 442
- FARAH S *see* Ribeiro P *et al*
- FEIRING A *see* Rees M R *et al*
- FENECH A (& Crea F, Conti C R, Abela G S) Argon laser recanalisation of acutely thrombosed coronary arteries in live dogs 628 *P*
- FERRINI D *see* Bugiardini R *et al*
- FESSATIDIS I (& Man W K, Becket J, Brannan J J, Taylor K M) Epoprostenol (prostacyclin) therapy during cardiac surgery—is it beneficial? 629 *P*  
—*see also* Hackett D *et al*
- FESSATIDIS I TH (& Hackell D R, Oakley C, Sapsford R N, Bentall H H) Ten years clinical evaluation of models 6400 and 6120 Starr-Edwards isolated mitral valve replacement 638 *P*
- FINDLAY I (& Henderson E, Taylor R, Grant S, Dargie H J) Cardiovascular fitness improves the coronary risk profile 656 *P*  
—*see also* Cleland J *et al*
- FIORETTI P *see* Brower R W *et al*
- FIRMIN D N *see* Rees R S D *et al*  
Underwood S R *et al*
- FISHER B M (& Dargie H J, Gillen G, Henderson E, Frier B M) Impairment of left ventricular function in diabetics—evidence for a specific heart muscle disease 656 *P*
- FLATMAN W D *see* Dymond D S *et al*
- FOALE R A *see* Nihoyannopoulos P *et al*  
Ribeiro P *et al*
- FORD I *see* Cleland J G F *et al*
- FORFANG K *see* Ihlen H *et al*
- FORFAR J C (& Godman M J) Functional and anatomical correlates in atrial septal defect: an echocardiographic analysis 193
- FORTUNE F *see* Symons C *et al*
- FOX K M *see* Bowker T J *et al*  
Levy R D *et al*  
Quyyumi A A *et al*  
Rees R S O *et al*  
Underwood S R *et al*
- FRANKLIN R *see* McKenna W J *et al*  
Ortiz E *et al*
- FREEMAN L J (& Nixon P G F) Reoperation for angina after previous aortocoronary bypass surgery: correspondence 552
- FRIER B M *see* Fisher B M *et al*
- FRUSTACI A (& Loperfido F, Pennestri F) Hypertrophic cardiomyopathy simulating an infiltrative myocardial disease: case report 329
- FUKAMI K *see* Ogawa H *et al*
- GALDEANO J *see* Cabrera A *et al*
- GALVANI M *see* Bugiardini R *et al*
- GAVAGHAN T P *see* Campbell T J *et al*
- GEARTY G *see* Erwin J *et al*
- GEARY G G *see* Brown M A *et al*
- GEN C GUANG- *see* Guang-Gen C
- GIBBS J L Echocardiography and ambulatory electrocardiography in patients with tuberous sclerosis 653 *P*  
—The heart and tuberous sclerosis. An echocardiographic and electrocardiographic study 596
- ( & Qureshi S A, Radley-Smith R, Yacoub M H) Doppler echocardiography following anatomical correction of transposition of the great arteries 652 *P*
- GIBSON C J (& Laird E E, Williams E D, Rajathurai A, Mittra B, Rankin D) New technique for showing the relation of tomographic myocardial perfusion images obtained with thallium-201 to the coronary arteries 367
- GIBSON D *see* Lincoln C *et al*
- GIBSON D G *see* Dawson J R & Gibson D G
- GILLEN G *see* Cleland J *et al*  
Cleland J G F *et al*  
Fisher B M *et al*

- GLOVER D R (& Littler W A) Factors influencing survival and mode of death in chronic ischaemic cardiac failure 613 *P*
- GODMAN M J *see* Forfar J C & Godman M J
- GOLD R G Do we need a new standard for electrocardiographs? editorial 119
- GOLDBERG S J (& Dickinson D F, Wilson N) Evaluation of an elliptical area technique for calculating mitral blood flow by Doppler echocardiography 68
- GOODWIN J F The challenge and the reproach of infective endocarditis: editorial 115
- GORDON N F & VAN Rensburg J P, Russell H M S, Kawalsky D L, Celliers C P, Cilliers J F, Myburgh D P) Effect of beta, selective adrenoceptor blockade on physiological response to exercise 96
- GOTO Y *see* Ogawa H *et al*
- GOWER M C *see* Bowker T J *et al*
- GRAEVE J DE *see* De Graeve J
- GRAFF R F *see* Radford D J *et al*
- GRAHAM T P *see* Parrish M D *et al*
- GRANT S *see* Findlay I *et al*
- GREENBAUM R A (& Balcon R) Eleven years' experience of pacemaker insertion and therapy in a cardiothoracic centre 615 *P*  
—*see also* Symons C *et al*
- GREENLAND P *see* Faillaire R T *et al*
- GRIDELLI C *see* Bugiardini R *et al*
- GRiffin B *see* Timmis A D *et al*
- GUANG-GEN C *see* Lu-Li S *et al*
- GUINN G A *see* Halim M A *et al*
- GUNDERSEN T *see* Ronnevik P K *et al*
- GWILT D J (& Petri M, Lewis P W, Natrass M, Pentecost B L) Myocardial infarct size and mortality in diabetic patients 466
- HAALEBOS M *see* Brower R W *et al*
- HACKETT D (& Davies G, Chierchia S, Maseri A) Effect of nitrates on coronary re-occlusion during intracoronary thrombolysis 619 *P*
- HACKETT D (& Fessatides I, Sapsford R, Bentall H, Oakley C) Long term evaluation of isolated Starr-Edwards aortic valve replacement 629 *P*
- HACKETT D R *see* Fessatidis I Th *et al*
- HALIM M A (& Mercer E N, Guinn G A) Myocardial tuberculoma with rupture and pseudoaneurysm formation—successful surgical treatment: case report 603
- HALL R *see* Odemuyiwa O *et al*
- HALL R J C *see* Peart I *et al*
- HALLIDIE-SMITH K A *see* Balaram U S V *et al*
- HAMERLYNCX R *see* Jordaeens L *et al*
- HAMILTON I *see* Parker J *et al*
- HAMILTON J R L (& Cleland J, O'Kane H O J) Emergency surgery following percutaneous transluminal coronary angioplasty 634 *P*  
—(& Mulholland H C, Cleland J) Chylopericardium: a rare complication of a Waterston shunt: case report 548
- HAMPTON J R *see* Cowley A J *et al*
- HANDLER C E (& Child A, Light N D, Dorrance D E) Mitral valve prolapse, aortic compliance, and skin collagen in joint hypermobility syndrome 501  
—(& Sowton E) Exercise induced ST elevation post-infarction: prognostic importance and relation to site of infarct 646 *P*
- HANSEN O K *see* Vesterlund T *et al*
- HARRISON M J G *see* Smith P L C *et al*
- HARTNELL G G (& Parnell B M, Pridie R B) Coronary artery ectasia. Its prevalence and clinical significance in 4993 patients 392
- HATLE L *see* Hegrenes L & Hatle L
- HAUGE S NITTER- *see* Nitter-Hauge S
- HAWKEY C *see* Pearce P C *et al*
- HAWORTH S G Lung biopsied in different types of congenital heart disease: computer-assisted structural and functional correlations 625 *P*
- HAYWARD R (& Hunter G J S) Digital subtraction angiography in coronary artery bypass graft assessment: clinical applicability 357  
—(Swanton H, Emanuel R) Coronary blood transit: effects of nifedipine assessed by parametric digital subtraction angiography 650 *P*
- HAYWOOD G A *see* Joy M *et al*
- HAZE K *see* Ogawa H *et al*
- HEAGERTY A M (& Ollerenshaw J D, Jackson J, Bing R F, Thurston H, Swales J D) Linoleic acid, leucocyte sodium transport, free calcium, and blood pressure 635 *P*
- HEALY M J R *see* Mulrow J P *et al*
- HEARSE D J *see* Saldanha C B R *et al*
- HEAVISIDE D W *see* Shaw P J *et al*
- HECK I *see* Reska S N *et al*
- HEDDLE W F (& Jones M E, Tonkin A M) Sinus node sequences after atrial stimulation: similarities of effects of different methods 568
- HEGERTY A S (& Anderson R H, Ho S Y) Congenital heart malformations in the first year of life—a necropsy study 583
- HEGRENÄS S L (& Hatle L) Aortic stenosis in adults, non-invasive estimation of pressure differences by continuous wave Doppler echocardiography 396
- HELD P *see* Dellborg M *et al*
- HENDERSON E *see* Findlay I *et al*
- Fisher B M *et al*  
McLenaghan J *et al*
- HENZE E *see* Wieshammer S *et al*
- HERSHKO C *see* Kramer M R *et al*
- HESS M L Cardiac transplantation: correspondence 555
- HETZER R *see* Amende I *et al*
- HICKEY N *see* Daly L *et al*
- HIGGINS J D S (& McCann J P, McHugh B, Buick B, Boyle D McC) Effect of chronic amiodarone treatment on pulmonary function 612 *P*
- HIRAMORI K *see* Ogawa H *et al*
- HO S Y *see* Hegerty A S *et al*
- HODSMAN G P *see* Cleland J G F *et al*
- HÖFLING B *see* von Armin T *et al*
- HOOGENHUYZE D C A VAN *see* VAN Hoogenhuyze D C A
- HOLLMAN A Plants and cardiac glycosides 258
- HOLMES D R *see* Sugrue D D *et al*
- HOLT P *see* Crick J C P *et al*
- HOLT P M *see* Boyd E G *et al*
- HONEY M *see* Miller G A H *et al*
- HOUSTON A B (& Simpson I A, Sheldon C D, Doig W B, Coleman E N) Doppler estimation of pressure gradients in infundibular pulmonary stenosis 618 *P*  
—*see also* Simpson I A *et al*
- HUGENHOLTZ P G Is early recanalisation in acute myocardial infarction recommendable 636 *P*  
—*see also* Brower R W *et al*
- HUNTER G *see* Hayward R *et al*
- HUNTER G J S *see* Hayward R & Hunter G J S
- HUNTER S *see* Wren C *et al*
- HUSSAIN S *see* Skehan J D *et al*
- HUTTON I *see* McGhie I *et al*  
Simpson I A *et al*  
Tan L B *et al*  
Tweddle A *et al*
- IBSEN H H W (& Baandrup U, Simonsen E E) Familial right ventricular dilated cardiomyopathy 156
- IHLÉN H (& Myhre E, Amlie J P, Forfang K, Larsen S) Changes in left ventricular stroke volume measured by Doppler echocardiography 378  
—*see also* Zhang Y *et al*
- IKEDA M *see* Ogawa H *et al*
- IKRAM H *see* Stewart D E *et al*
- IKRAM S *see* Lewis S *et al*
- ILSLEY C D J (& Ablett M B) Percutaneous transluminal coronary angioplasty—results in patients with acute myocardial infarction 620 *P*  
—Percutaneous transluminal coronary angioplasty—results in

- patients with multiple coronary stenoses 627 *P*  
**ISHIKAWA T** see Neutze J M et al  
**ISLES C** see McLenahan J et al
- JACKSON A** see Ekroth R et al  
**JACKSON B** see McGrath B P et al  
**JACKSON J** see Heagerty A M et al  
**JAMES M A** see Papouchado M et al  
**JAMIESON S W** see McGregor C G A et al  
**JENKINS B S** see Dawson J R et al  
**JENNINGS G** see McGrath B P et al  
**JEWITT D E** see Timmis A D et al  
     Trosser A et al  
**JOHNSON A M** see Keenan D J M et al  
**JOHNSTON C I** see McGrath B P et al  
**JONAS R A** see Burton R W et al  
**JONES D A** see Lipkin D P et al  
**JONES M E** see Heddle W F et al  
**JONES O** see Ladusans E J et al  
**JONES O D H** see Reidy J F et al  
**JONES S N** see Cooper T J et al  
**JORDAENS L** (& Hamerlynck R, Clement D L) Efficacy of an implanted automatic defibrillator which had induced atrial fibrillation: case report 605  
**JORDAN S C** Two dimensional and pulsed Doppler investigations of children with early systolic murmurs 618 *P*  
**JOSEPH M** see Ladusans E J et al  
**JOSEPH M C** see Reidy J F et al  
**JOSEPH P L A** see Smith P L C et al  
**JOY M** (& Haywood G A, Webb-Peploe M M) Management of a case of refractory variant angina with benzhexol hydrochloride (trihexyphenidyl hydrochloride): case report 448  
**JULIAN D G** The practical implications of the coronary artery surgery trials: review 343  
   — see also Shaw P J et al  
**JUUL S M** see Dawson J R et al
- KALFF V** see del Torso S et al  
**KALMANSON D** see Veyrat C et al  
**KARAS S** see Balaran U S V et al  
**KARL T** see Leval M et al  
**KAWALSKY D L** see Gordon N F et al  
**KAY P H** (& Brooks N, Magee P, Sturridge M F, Walesby R K, Wright J E C) Bypass grafting to the right coronary artery with and without endarterectomy: patency at one year 489  
**KEAN D** see Been M et al  
**KEEAN D J M** (& Monro J L, Ross J K, Manners J M, Conway N, Johnson A M) Left ventricular aneurysm. The Wessex experience 269  
**KEETON B R** see Bunton R W et al  
     Sutherland G R et al  
**KEKWICK C A** see Linker N J et al  
**KELLY M J** see del Torso S et al  
**KERR I H** see O'Callaghan C et al  
**KHAN F** see Trosser A et al  
**KHOSLA T** see Mir M A et al  
**KIAT H** see McGrath B P et al  
**KINGSTON T** see Schofield P M et al  
**KITNEY R** see Skehan J D et al  
**KLIPSTEIN R H** see Rees R S O et al  
     Underwood S R et al  
**KNOPP R** see Reske S N et al  
**KOSTUCKI W** (& van Kuyk M, Cornil A) Changing echocardiographic features of a hydatid cyst of the heart: case report 224  
**KRAMER M R** (& Shilo S, Hershko C) Atrioventricular and sinoatrial block in thyrotoxic crisis: case report 600  
**KRIKLER D M** Withering and the foxglove: the making of a myth 256  
   — see also Savill J et al
- KRIKLER S** see McKenna W J et al  
**KROPP J** see Reske S N et al  
**KRUG H** see Zerbe F et al  
**KUBAT K** see Sengers R C A et al  
**KUIJER P** (& Dion R, van Merriënboer F) Right atrial spleen: case report 337  
**KUMPENG V** see Robinson P J et al  
**KUYK M VAN** see van Kuyk M
- LADUSANS E J** (& Tynan M, Joseph M, Jones O, Curry P V L) Multi-programmable pacemakers—essential for pacing in children 632 *P*  
**LAIRD E E** see Gibson C J et al  
**LAKWIJK-VONDROVICOVA E VAN** see van Lakwijk-Vondrovicova E  
**LANE G E** see Sugrue D D et al  
**LANG P** see Burton R W et al  
**LANG R E** see Weil J et al  
**LARSEN S** see Ihlen H et al  
**LAVENDER J P** see Stockins B et al  
**LAYTON C** Lead specificity of the maximum ST/heart rate slope response: correspondence 554  
   — see also Murray N et al  
**LEDDA R** see Reske S N et al  
**LEE W H** see Packer M et al  
**LEKUONA I** see Cabrera A et al  
**LENZI S** see Bugiardini R et al  
**LESSANA A** see Veyrat C et al  
**LEVAL M DE** see de Leval M  
**LEVIN S E** see Altman D I et al  
**LEVORSTAD K** see Zhang Y et al  
**LEVY R** see Quyyumi A A et al  
**LEVY R D** (& Shapiro L M, Wright C, Mockus L, Fox K M) Ambulatory pulmonary artery pressure monitoring in the evaluation of angina pectoris 643 *P*  
   — (& Shapiro L M, Mockus L, Wright C, Fox K M) The significance of painless ST segment depression assessed by ambulatory pulmonary artery pressure monitoring 623 *P*  
**LEWIS P W** see Gwilt D J et al  
**LEWIS S** (& Bucknell C A, Ikram S, Vincent R, Chamberlain D A) Temporary transvenous cardioversion for recurrent ventricular tachyarrhythmias 612 *P*  
**LI S LU-** see Lu-Li S  
**LIAN L RU-** see Ru-Lian L  
**LICHTLEN P R** see Amende I et al  
**LIGHT N D** see Handler C E et al  
**LINCOLN C** (& Rigby M, Shinebourne E, Gibson D) Anatomic correction for transposition and DORV—early and intermediate structural and functional considerations 639 *P*  
   — see also Ekroth R et al  
**LINKER N J** (& Evans R, Kekwick C A, Shaw D B) Ischaemia and sinus node disease 612 *P*  
**LIPKIN D P** (& Jones D A, Round J M, Poole-Wilson P A) Maximal force, fibre type, and enzymatic activity in quadriceps of patients with severe heart failure: a mechanism for reduced exercise capacity 622 *P*  
   — (& Perrins J, Poole-Wilson P A) Respiratory gas exchange in the assessment of patients with impaired ventricular function 321  
   — (& Poole-Wilson P A) Origins of breathlessness in chronic heart failure 609 *P*  
**LITTLE W A** see Glover D R & Littler W A  
**LOCHAN R G** see Agarwal A K et al  
**LONGMORE D B** see Rees R S O et al  
     Underwood S R et al  
**LOPERIFIDO F** see Frustaci A et al  
     Rebuzzi A G et al  
**LU-LI S** (& Guang-Gen C, Ru-Lian L) Valve prolapse in Behcet's disease 100  
**LYONS J** see Murray N et al

- MCCANN J P *see* Higginson J D S *et al*  
 MACARTNEY F J *see* Ortiz E *et al*  
   Robinson P J *et al*  
   Sullivan I D *et al*  
 McDONALD A *see* Skehan J D *et al*  
 MC EWAN J (& Chierchia S, Davies G, Stevenson J, Brown M, Maseri A, MacIntyre I) Coronary vasodilation by calcitonin gene related peptide 643 P  
 McGHIE I (& Tweddle A, Martin W, Hutton I) Detection of coronary disease: a comparison between exercise technetium ventriculography and exercise thallium imaging 617 P  
 —*see also* Tweddle A *et al*  
 McGRATH B P (& Arnold I, Matthews P G, Jackson B, Jennings G, Kiat H, Johnston C I) Controlled trial of enalapril in congestive cardiac failure 405  
 MCGREGOR C G A (& Jamieson S W, Stinson E B, Oyer P E, Reitz B A, Baldwin J C, Shumway N B) Heart-lung transplantation for Eisenmenger's syndrome 630 P  
 McHUGH B *see* Higginson J D S *et al*  
 MACINTYRE I *see* McEwan J *et al*  
 McKENNA W J Improved survival with amiodarone in patients with hypertrophic cardiomyopathy and ventricular tachycardia: correspondence reply 550  
 —(& Deansfield J, Franklin R, Krikler S, Dickie S) Arrhythmia in children and adolescents with hypertrophic cardiomyopathy: incidence and relation to prognosis 632 P  
 —(& Sugrue D D) Left ventricular gradients in hypertrophic cardiomyopathy: correspondence reply 113  
 —*see also* Mulrow J P *et al*  
   Stockins B *et al*  
 MC LENACHAN J (& Henderson E, Isles C, Dargie H J) Arrhythmias and left ventricular hypertrophy in essential hypertension 645 P  
 McLEOD A A *see* Timmis A D *et al*  
 MACMILLAN R M *see* Rees M R *et al*  
 McWILLIAMS E *see* Erwin J *et al*  
 MADSEN J K Ischaemic heart disease and prodromes of sudden cardiac death. Is it possible to identify high risk groups for sudden cardiac death? 27  
 MAGEE P *see* Kay P H *et al*  
 MAN W K *see* Fessatidis I *et al*  
 MANLEY B S *see* Cobbe S M & Manley B S  
 MANNERS J M *see* Keenan D J M *et al*  
 MANSELL M A *see* Morgan S H *et al*  
 MARANHAO V *see* Rees M R *et al*  
 MARTIN W *see* McGhie I *et al*  
   Tweddle A *et al*  
 MASERI A *see* Hackett D *et al*  
   McEwan J *et al*  
 MASTENBROEK C Cultivation and breeding of *Digitalis lanata* in the Netherlands 262  
 MATTERN H *see* Reske S N *et al*  
 MATTHEWS P G *see* McGrath B P *et al*  
 MATTHYS D *see* van Egmond H *et al*  
 MAUREER B *see* Erwin J *et al*  
 MEDINA N *see* Packer M *et al*  
 MEE R B B *see* del Torno S *et al*  
 MEHTA D *see* Cheesman M G *et al*  
 MEIER B Benign coronary perforation during percutaneous trans-luminal coronary angioplasty 33  
 MERCER E N *see* Halim M A *et al*  
 MERRIENBOER F VAN *see* VAN Merriënboer F  
 MILLER G A H Balloon valvuloplasty and angioplasty in congenital heart disease 285  
 —(& Honey M, El-Sayed H) Isolated coronary ostial stenosis—a previously unrecognised clinical syndrome 611 P  
 MILLS P G *see* Pumphrey C W *et al*  
   Skehan J D *et al*  
 MILNER S *see* Altman D I *et al*  
 MIR F *see* Mir M A *et al*  
 MIR M A (& Mir F, Khosla T) Prevalence of hypertension in habitually salted-tea drinking population in Northern Kashmir 613 P  
 MITCHELL A *see* Yusuf S *et al*  
 MITCHELL A G (& Yacoub M H) Conduction between donor and recipient atria following orthotopic cardiac transplantation 615 P  
 MITCHELL M *see* Savill J *et al*  
 MITTRA B *see* Gibson C J *et al*  
 MOCKUS L *see* Levy R D *et al*  
   Quyyumi A A *et al*  
 MOCKUS L J *see* Quyyumi A A *et al*  
 MOLAO A O (& Bennett D H) Effect of xamoterol (ICI 118587), a new beta, adrenoceptor partial agonist, on resting haemodynamic variables and exercise tolerance in patients with left ventricular dysfunction 17  
 —(& Summers G D, Bennett D H) Effect of percutaneous transluminal coronary angioplasty on arrhythmias complicating angina 375  
 MONAGHAN M *see* Timmis A D *et al*  
 MONRO J L *see* Bunton R W *et al*  
   Keenan D J M *et al*  
 MORGAN J J *see* Campbell T J *et al*  
 MORGAN S H (& Mansell M A, Thompson F D) Fluid removal by haemofiltration in diuretic resistant cardiac failure: case report 218  
 MORTON J J *see* Cleland J G F *et al*  
 MORTON P *see* O'Keeffe D B *et al*  
 MOSS D W *see* Ribeiro P *et al*  
 MUIR A L *see* Been M *et al*  
 MUKHOPADHYAY A K (& Chopra P) Diffuse non-specific aortitis with multiple saccular aneurysms and aorto-enteric fistula: case report 102  
 MULCAHY R *see* Daly L *et al*  
 MULHOLLAND H C (& Shields M D) The assessment of surgical shunt patency by Doppler 639 P  
 —*see also* Hamilton J R L *et al*  
 MULROW J P (& Healy M J R, McKenna W J) Spontaneous variability of ventricular arrhythmia and its effect on the optimal duration of electrocardiographic monitoring required 644 P  
 MURRAY J *see* Altman D I *et al*  
 MURRAY M *see* Skehan J D *et al*  
 MURRAY N (& Lyons J, Balcon R, Layton C) How many patients with myocardial infarction are suitable for thrombolysis? 620 P  
 MURRAY R G *see* Tan L B *et al*  
 MURTAGH J G *see* O'Keeffe D B *et al*  
 MYBURGH D P *see* Gordon N F *et al*  
 MYHRE E *see* Ihlen H *et al*  
   Zhang Y *et al*  
 NAGLE R E *see* Petri M P *et al*  
 NANDA N C *see* Faillace R T *et al*  
 NATHAN A W (& Spurrell R A J, Camm A J) Low energy endocardial countershock for the treatment of ventricular tachycardia and fibrillation 615 P  
 NATTRASS M *see* Gwilt D J *et al*  
 NEILSON G H *see* Radford D J *et al*  
 NEUTZE J M (& Ishikawa T, Clarkson P M, Calder A L) Assessment of pulmonary vascular resistance in patients with ventricular septal defect 633 P  
 NEWMAN S P *see* Smith P L C *et al*  
 NICHOLLS M G *see* Stewart D E *et al*  
 NIHOVANNOPoulos P (& Foale R A, Stockins B, Oakley C M) Sensitivity of echocardiography in infective endocarditis 648 P  
 —*see also* Ribeiro P *et al*  
   Stockins B *et al*  
 NITTER-HAUGE S *see* Zhang Y *et al*  
 NIXON P G F *see* Freeman L J & Nixon P G F  
 NORRIS R M *see* Brown M A *et al*  
 NORTHCOTE R J (& Canning G, San K-M, Ballantyne D) Lipo-

- protein profiles in veteran endurance athletes and age matched subjects with coronary artery disease and controls 647 *P*
- OAKLEY C** *see* Fessatidis I Th *et al*  
Hackett D *et al*
- OAKLEY C M** Management of primary pulmonary hypertension: correspondence reply 554  
—*see also* Nihoyannopoulos P *et al*  
Ribeiro P *et al*  
Stockins B *et al*
- OAKLEY D** *see* Shiu M F *et al*
- O'CALLAGHAN C** (& Cooke J, Kerr I H, Shinebourne E A) Sub-pulmonary pleural effusions in children after cardiac surgery 593
- ODEMUYIWA O** (& Peart I, Albers C, Hall R) Reciprocal ST depression in acute myocardial infarction 479
- OGAWA H** (& Hiramori K, Haze K, Saito M, Sumiyoshi T, Fukami K, Goto Y, Ikeda M) Classification of non-Q-wave myocardial infarction according to electrocardiographic changes 473
- O'KANE H O J** *see* Hamilton J R L *et al*
- O'KEEFE J C** *see* Dymond D S *et al*
- O'KEEFE D B** (& Morton P, Murtagh J G, Scott M E) Follow up to two years in 108 patients with severe early cardiac infarction treated with intravenous streptokinase 619 *P*
- OLIVER M F** Strategies for preventing and screening for coronary heart disease: editorial 1
- OLLERENSHAW J D** *see* Heagery A M *et al*
- OLSEN E G J** *see* Pearce P C *et al*  
Quyyumi A A *et al*  
Williams D G, Olsen E G J
- O'REYE W** *see* van Egmond H *et al*
- OMEROD O J M** (& Stone D L, Barber R W, Wraight E P, Petch M C) Assessment of ventricular function in aortic regurgitation by phase analysis of equilibrium radionuclide ventriculography 638 *P*  
—*see also* Stone D L *et al*
- ORTIZ E** (& Robinson P J, Deanfield J E, Franklin R, Macartney F J, Wyse R K H) Localisation of ventricular septal defects by simultaneous display of superimposed colour Doppler and cross sectional echocardiographic images 53
- OVER P E** *see* McGregor C G A *et al*
- PACKER M** (& Medina N, Yushak M, Lee W H) Usefulness of plasma renin activity in predicting haemodynamic and clinical responses and survival during long term converting enzyme inhibition in severe chronic heart failure. Experience in 100 consecutive patients 298
- PALMER R B G** *see* Sanderson J E *et al*
- PAPOUCHADO M** (& Walker P R, James M A, Clarke L M) The Mason-Liker "modified" exercise electrocardiograph: essentially identical to the 12 standard leads? 623 *P*
- PARKER J** (& Hamilton I, Shepherd G) Clinical budgeting in cardiology and cardiac surgery 631 *P*
- PARNELL B M** *see* Hartnell G G *et al*
- PARRISH M D** (& Boucek R J, Burger J, Artman M F, Partain C L, Graham T P) Exercise radionuclide ventriculography in children: normal values for exercise variables and right and left ventricular function 509
- PARTAIN C L** *see* Parrish M D *et al*
- PASSANI S P** *see* Angelini G D *et al*
- PEARCE P C** (& Hawkey C, Symons C, Olsen E G J) Role of calcium in the induction of cardiac hypertrophy and myofibrillar disarray. Experimental studies of a possible cause of hypertrophic cardiomyopathy 420
- PEART I** (& Albers C, Hall R J C) Exercise testing six weeks and 18 months after myocardial infarction in patients under 55 years 622 *P*  
—(& Austin A, Appleton D, Hall R J C) Segmental wall motion analysis of cross sectional echocardiograms: its reproducibility and sources of variability 617 *P*
- see also* Odemuyiwa O *et al*  
Pedoe H Tunstall- *see* Tunstall-Pedoe H
- PENNESTRI F** *see* Frustaci A *et al*
- PENTECOST B L** *see* Gwilt O J *et al*
- PEPLOE M M WEBB-** *see* Webb-Peploe M M
- PERRINS J** *see* Lipkin D P *et al*
- PERRY R A** (& Shiu M F) Assessment of regional myocardial shortening using routine diagnostic coronary arteriograms 620 *P*  
—(& Singh A, Shiu M F) Success and complication rates for coronary angioplasty in patients with and without previous myocardial infarction 634 *P*
- PETCH M C** *see* Ormerod O J M *et al*  
Stone D L *et al*  
Taylor N C *et al*
- PETRI M** *see* Gwilt D J *et al*
- PETRI M P** (& Zezulka A, Cockcroft J, Nagle R E) Potassium homeostasis following acute myocardial infarction—the effect of beta blockade 646 *P*
- PIDGEON J W** Reoperation for angina after previous aortocoronary bypass surgery: correspondence reply 552
- PIEHLER J** *see* Sugrue D D *et al*
- POLLICK C** Left ventricular gradients in hypertrophic cardiomyopathy: correspondence 113
- POLYDOROU A** (& Crick J C P, Sowton E) How soon after PTCA should its results be assessed by exercise testing? 626 *P*
- PONIZYŃSKI A** *see* Zerbe F *et al*
- POOLE-WILSON P A** *see* Bowker T J *et al*  
Lipkin D P & Poole-Wilson P A  
Lipkin D P *et al*  
Rees R S O *et al*  
Underwood S R *et al*
- POZZATI A** *see* Bugiardini R *et al*
- PRIDIE R B** *see* Hartnell G G *et al*
- PUDDU P** *see* Bugiardini R *et al*
- PUMPHREY C W** (& Skehan D, de Belder M, Rothman M T, Mills P G) A comparison of exercise testing at ten days and three months after myocardial infarction: relation to the pattern of coronary disease 623 *P*
- QUARENDON P** *see* Smith L D R & Quarendon P
- QURESHI S A** *see* Gibbs J L *et al*
- QUYYUMI A A** (& Al-Rufai H K, Olsen E G J, Fox K M) Coronary anatomy in patients with various manifestations of three vessel coronary artery disease 362
- (& Crake T, Wright C, Mockus L, Levy R, Fox K M) The effects of beta blocker, calcium antagonist, and nitrate in patients with exertional and rest angina 643 *P*
- (& Wright C M, Mockus L J, Fox K M) How important is a history of chest pain in determining the degree of ischaemia in patients with angina pectoris? 22
- (Mockus L J, Yacoub M, Fox K M) Effects of myocardial revascularisation in patients with effort angina and those with effort and nocturnal angina 557
- RADEMAKER M** *see* Shaw T R D *et al*
- RADFORD D J** (& Graff R F, Neilson G H) Diagnosis and natural history of Ebstein's anomaly 517
- RADLEY-SMITH R** *see* Gibbs J L *et al*
- RAJATHURAI A** *see* Gibson C J *et al*
- RANKIN D** *see* Gibson C J *et al*
- RAO P S** Descending aortography with balloon inflation. A technique for evaluating the size of persistent ductus arteriosus in infants with large proximal left to right shunts 527
- RAU G** *see* von Essen R *et al*
- REBUZZI A G** (& Loperfido F, Biasucci L M) Transient Q waves followed by left anterior fascicular block during exercise: case report 107
- REDDING V J** *see* Agarwal A K *et al*  
Cheeseman M G *et al*
- REECE I J** *see* Simpson I A *et al*

- REEDER G S *see* Sugrue D D *et al*  
 RENSBURG J P *see* VAN Rensburg J P  
 REES M R (& MacMillan R M, Reiter S, Rumberger H, Feiring A, Maranhao V, Clark D L) Sensitivity and specificity of coronary artery bypass graft patency estimation by cine computed tomography 655 P  
 REES P G *see* Sullivan I D *et al*  
 REES R S O (& Underwood S R, Savage P E, Klipstein R H, Firmin D N, Fox K M, Poole-Wilson P A, Longmore D B) Magnetic resonance assessment of left ventricular wall motion 650 P  
*— see also* Underwood S R *et al*  
 REIDY J F (& Jones O D H, Tynan M J, Baker E J, Joseph M C) Embolisation procedures in congenital heart disease 184  
 REITER S *see* Rees M R *et al*  
 REITZ B A *see* McGregor C G A *et al*  
 REMME P J *see* Verheugt F W A *et al*  
 RES J C J *see* Verheugt F W A *et al*  
 RESKE S N (& Heck I, Kropp J, Mattern H, Ledda R, Knopp R, Winkler C) Captopril mediated decrease of aortic regurgitation 415  
 RIBEIRO P (& Al Zaibag M, Abdullah M, Salem C, Shea M J, Al Fagih M) Comparison of bioprostheses degeneration in the aortic versus the mitral position 630 P  
*—(& Bun-Tan L B, Oakley C M) Management of aortic left ventricular tunnel: case report 333*  
*—(& Nihoyannopoulos P, Farah S, Moss D W, Westaby S, Oakley C M, Foale R A) Role of transient ischaemia and perioperative myocardial infarction in the genesis of new septal wall motion abnormalities after coronary bypass surgery 140*  
 RICHARDS D A *see* Denniss A R *et al*  
 RICKARDS A F *see* Bowker T J *et al*  
*Rowland E *et al**  
 RIGBY M *see* Lincoln C *et al*  
 ROBERTSON I *see* Cleland J G F *et al*  
 ROBERTSON J I S *see* Cleland J *et al*  
*Cleland J G F *et al**  
 ROBINSON P J (& Kumpeng V, Macartney F J) Cross sectional echocardiographic and angiographic correlation in criss cross hearts 61  
*—(& Wyse R K H, Macartney F J) Left ventricular outflow tract obstruction in complete transposition of the great arteries with intact ventricular septum. A cross sectional echocardiography study 201*  
*— see also Ortiz E *et al**  
*Sullivan I D *et al**  
 RODGER J C *see* Simpson I A *et al*  
 RØNNEVIK P K (& Gunderson T, Abrahamsen A M) Effect of smoking habits and timolol treatment on mortality and reinfarction in patients surviving acute myocardial infarction 134  
 ROSS D L *see* Denniss A R *et al*  
 ROSS J K *see* Keenan D J M *et al*  
 ROTHMAN M *see* Skehan J D *et al*  
 ROTHMAN M T *see* Pumphrey C W *et al*  
 ROUND J M *see* Lipkin D P *et al*  
 ROWLAND E (& Cunningham A D, Rickards A F) Adaptation of overdrive pacing rate for termination of AV re-entry tachycardia with change in posture—relevance for automatic software pacemakers 642 P  
 ROWLEY J M *see* Cowley A J *et al*  
 RU-LIAN L *see* Lu-Li S *et al*  
 RUFIAF H K AL- *see* Al-Rufaie H K  
 RUITENBECK W *see* Sengers R C A *et al*  
 RULF E N R *see* Brower R W *et al*  
 RUMBERGER J *see* Rees M R *et al*  
 RUMBSY P T *see* Bowker T J *et al*  
 RUSSELL H M S *see* Gordon N F *et al*  
 SAGAR K B *see* Daley P J *et al*  
 SAITO M *see* Ogawa H *et al*  
 SALDANHA C B R (& Braimbridge M V, Hearse D J) Do hyperkalaemic cardioplegic solutions damage vascular endothelium?—studies on vascular responsiveness in the rat heart 654 P  
 SALEM C *see* Ribeiro P *et al*  
 SAN K-M *see* Northcote R J *et al*  
 SANDERSON J E (& Palmer R B G, Wright B Y) Myopotential sensing and DDD pacemakers 651 P  
 SAPSFORD R *see* Hackett D *et al*  
*Thompson G R, Sapsford R*  
 SAPSFORD R N *see* Fessatidis I Th *et al*  
 SAVAGE P E *see* Rees R S O *et al*  
 SAVILL J (& Mitchell M, Wood D, Krikler D M) Rapid plasma digoxin assay in outpatients—a useful routine technique? 248  
 SAYED H EL- *see* El-Sayed H  
 SCHEERDER I DE *see* De Scheerder I  
 SCHMIDT W *see* VON Essen R *et al*  
 SCHOFIELD P M (& Barber P V, Kingston T) Preoperative and postoperative pulmonary function tests in patients with atrial septal defect and their relation to pulmonary artery pressure and pulmonary:systemic flow ratio 577  
*—(& Bowes R J, Bennett D H) Exercise capacity and heart rhythm following transvenous fulguration of atrioventricular conduction 614 P*  
 SCHREIBER M *see* VON Arnim T *et al*  
 SCOTT M E *see* O'Keeffe D B *et al*  
 SEBENING W *see* Weil J *et al*  
 SEEVERS A *see* Amende I *et al*  
 SENGERS R C A (& Stadhouders A M, VAN Lakwijk-Vondrovicova E, Kubat K, Ruitenberg W) Hypertrophic cardiomyopathy associated with a mitochondrial myopathy of voluntary muscles and congenital cataract 543  
 SERRUYS P W *see* Verheugt F W A *et al*  
 SHAPIRO L *see* Carreras F *et al*  
*Thwaites B C *et al**  
 SHAPIRO L M (& Thwaites B, Westgate C, Donaldson R) Prevalence and clinical significance of aortic valve prolapse 179  
*— see also Crake T *et al**  
*Levy R D *et al**  
 SHAW D A *see* Shaw P J *et al*  
 SHAW D B *see* Linker N J *et al*  
 SHAW P J (& Bates D, Cartlidge N E F, Heaviside D W, Shaw D A, Julian D G) Neurological complications of coronary artery bypass surgery 609 P  
 SHAW T R D (& Duncan F M, Williams B C, Crichton E, Thomson S A, Davis J R E, Rademaker M, Edwards C R W) Plasma free captopril concentrations during short and long term treatment with oral captopril for heart failure 160  
 SHEA M J *see* Ribeiro P *et al*  
 SHELDON C D *see* Houston A B *et al*  
 SHEPHERD G *see* Parker J *et al*  
 SHIELDS M D *see* Mulholland H C & Shields M D  
 SHILO S *see* Kramer M R *et al*  
 SHINEBOURNE E *see* Lincoln C *et al*  
 SHINEBOURNE E A *see* Bush A *et al*  
*O'Callaghan C *et al**  
 SHIU M F (& Sullivan N P, Oakley D, Cumberland D) Acute coronary occlusion during percutaneous transluminal coronary angioplasty 129  
*—(& Singh A) Spontaneous recanalisation of side branches occluded during percutaneous transluminal coronary angioplasty: case report 215*  
*— see also Perry R A & Shiu M F*  
*Perry R A *et al**  
 SHORE D F *see* Bunton R W *et al*  
 SHUMWAY N B *see* McGregor C G A *et al*  
 SIGEL H A *see* Wieshamer S *et al*  
 SIGNY M *see* Dawson J R *et al*  
 SILNY J *see* VON Essen R *et al*  
 SILVERTON N P *see* Shiu M F *et al*  
 SIMON R *see* Amende I *et al*

- SIMONSEN E E *see* Ibsen H H W *et al*  
 SIMOOSEN M *see* Brower R W *et al*  
 SIMOOSEN M L *see* Verheugt F W A *et al*  
 SIMPSON I A (& Reece I J, Houston A B, Wheatley D J, Hutton I) Doppler ultrasound assessment of 155 patients with investigational bioprosthetic valve replacement 631 *P*  
 —(& Rodger J C, Tweddel A C, Houston A B, Reece I J) Non-invasive haemodynamic assessment of mitral prosthetic function by Doppler ultrasound 648 *P*  
 —*see also* Houston A B *et al*  
 SINGH A *see* Perry R A *et al*  
 Shiu M F & Singh A  
 SINGH R N (& Sosa J A) Coronary artery bypass grafting and hyperlipidaemia: correspondence 453  
 SKEHAN J D (& Kitney R, Hussain S, Rothman M, McDonald A) Analysis of the signal averaged surface electrocardiogram for late potentials after myocardial infarction 642 *P*  
 —(& Murray M, Mills P G) Infective endocarditis: current incidence and mortality 614 *P*  
 SKEHAN D *see* Pumphrey C W *et al*  
 SMITH H C *see* Sugrue D D *et al*  
 SMITH K A HALLIDIE- *see* Hallidie-Smith K A  
 SMITH L D R (& Quarendon P) Four dimensional cardiac imaging 616 *P*  
 SMITH M A *see* Been M *et al*  
 SMITH P L C (& Joseph P L A, Newman S P, Ell P J, Harrison M J G, Treasure T) Cerebral consequences of coronary artery surgery 630 *P*  
 SMITH R RADLEY- *see* Radley-Smith R  
 SMITH S A (& Weissberg P L, Tan L-B) Permanent pacemaker failure due to surgical emphysema: case report 220  
 SMYTH P *see* Timmis A D *et al*  
 SOMERVILLE J (& Warnes C) Transposition of the great arteries—adults and adolescents late after Mustard procedure 633 *P*  
 —*see also* Warnes C A & Somerville J  
 SOSA J A *see* Singh R N & Sosa J A  
 SOUL F *see* Sutherland G R *et al*  
 SOWTON E *see* Boyd E G *et al*  
 Crick J C P *et al*  
 Handler C E & Sowton E  
 Polydorou A *et al*  
 Timmis A D *et al*  
 SPURRELL R A J *see* Nathan A W *et al*  
 STADHOUDERS A M *see* Sengers R C A *et al*  
 STAINTER K *see* Cowley A J *et al*  
 STARK J *see* de Leval M *et al*  
 STAUCH M *see* Wieshamer S *et al*  
 STELLIN G *see* DEL TORO S *et al*  
 STEVENSON J *see* McEwan J *et al*  
 STEWART D E (& Ikram H, Espiner E A, Nicholls M G) Arrhythmic potential of diuretic induced hypokalaemia in patients with mild hypertension and ischaemic heart disease 290  
 STEWART P A (& Vladimiroff J W, Becker A E) Early prenatal detection of double outlet right ventricle by echocardiography: case report 340  
 STEWART P M (& Catterall J R) Chronic nicotine ingestion and atrial fibrillation: case report 222  
 STINSON E B *see* McGregor C G A *et al*  
 STOCKINS B (& Dickie S, Lavender J P, Oakley C M, McKenna W J) Comparison of ejection dynamics in hypertrophic cardiomyopathy and valvar aortic stenosis 621 *P*  
 —(& Dickie S, Nihoyannopoulos P, Lavender J P, McKenna W J, Oakley C M) Beneficial effect of beta blockade in aortic stenosis 655 *P*  
 —*see also* Nihoyannopoulos P *et al*  
 STONE D L (& Barber R W, Ormerod C J M, Petch M C, Wraight E P) Quantification of intracardiac shunts by gold-195 m, a new radionuclide with a short half life 495  
 —*see also* Ormerod O J M *et al*  
 STURRIDGE M F *see* Kay P H *et al*
- SUGRUE D D (& Holmes D R, Smith H C, Reeder G S, Lane G E, Vlieststra R E, Bresnahan J F, Piehler J) Coronary artery thrombus as a risk factor for acute vessel occlusion during percutaneous transluminal coronary angioplasty: improving results 627 *P*  
 —*see also* McKenna W J & Sugrue D D  
 SULLIVAN I D (& Robinson P J, Macartney F J, Taylor J F N, Rees P G, Bull C, Deanfield J E) Percutaneous balloon valvuloplasty for pulmonary valve stenosis in infants and children 435  
 SUMIYOSHI T *see* Ogawa H *et al*  
 SUMMERS G D *see* Molajo A O *et al*  
 SUTHERLAND G R (& Soul F, Keeton B R, Drummond L) The Doppler evaluation of discrete subvalvar and multilevel outflow tract obstruction in congenital heart disease 626 *P*  
 —*see also* Bunton R W *et al*  
 Upward J *et al*  
 SWALES J D *see* Heagerty A M *et al*  
 SWANTON H *see* Hayward R *et al*  
 SWEDBERG K *see* Dellborg M *et al*  
 SYMONS C (& Fortune F, Greenbaum R A, Dandona P) Cardiac hypertrophy, hypertrophic cardiomyopathy, and hyperparathyroidism—an association 539  
 —*see also* Pearce P C *et al*
- TAN L B (& Murray R G, Tweddel A C, Hutton I) Do cardiac glycosides exert positive inotropism in sinus rhythm? 654 *P*  
 TAN L-B *see* Smith S A *et al*  
 TAN L B-BUN- *see* Bun-Tan L B  
 TAYLER D I (& Vincent R) Artefactual ST segment abnormalities due to electrocardiograph design 121  
 TAYLOR J F N *see* de Leval M *et al*  
 Sullivan I D *et al*  
 TAYLOR K M *see* Fessatidis I *et al*  
 TAYLOR N C (& Barber R, Crossland P, Wraight E P, English T A H, Petch M C) Does left ventricular aneurysmectomy improve ventricular function in patients undergoing coronary bypass surgery? 145  
 TAYLOR R *see* Findlay I *et al*  
 THIERS J C *see* Douste-Blazy P *et al*  
 THOMAS A C *see* Davies M J & Thomas A C  
 Dawkins K D *et al*  
 THOMPSON D S *see* Dawson J R *et al*  
 THOMPSON F D *see* Morgan S H *et al*  
 THOMPSON G R (& Sapsford R) Coronary artery bypass grafting and hyperlipidaemia: correspondence reply 453 *P*  
 THOMPSON R *see* Ekroth R *et al*  
 THOMSEN P E B *see* Vesterlund T *et al*  
 THOMSON S A *see* Shaw T R D *et al*  
 THURSTON H *see* Heagerty A M *et al*  
 THWAITES B *see* Shapiro L M *et al*  
 THWAITES B C (& Carreras F, Shapiro L, Castle G, Donaldson R) Assessment of pulmonary hypertension by two Doppler echocardiographic methods 650 *P*  
 —*see also* Carreras F *et al*  
 TIMMIS A D (& Crick J C P, Griffin B, Sowton E) Prevention of regional myocardial ischaemia during PTCA—the effects of infusing arterial blood 628 *P*  
 —(& Griffin B, Crick J C P, Sowton E) The effects of early PTCA on the clinical course of unstable angina 627 *P*  
 —(& Smyth P, Jewitt D E) Milrinone in heart failure. Effects on exercise haemodynamics during short term treatment 42  
 —(& Monaghan M, Walker L, Daly K, McLeod A A, Jewitt D E) Milrinone in heart failure. Acute effects on left ventricular systolic function and myocardial metabolism 36  
 TINKER J *see* Cooper T J *et al*  
 TONKIN A M *see* Heddle W F *et al*  
 TOOLEY M *see* Davies D W *et al*  
 TORSO S DEL *see* del Torso S  
 TREASURE T *see* Cooper T J *et al*  
 Smith P L C *et al*

- TROSSER A (& Khan F, Jewitt D E) Evidence that flecainide is superior to disopyramide in suppressing chronic ventricular premature complexes 644 P
- TUNSTALL-PEDOE H Changing digoxin potency and cardiac mortality in England and Wales 1968-76 243
- TURNBULL P see Dawson J R et al
- TWEDDELL A (& Martin W, McGhie I, Hutton I) Is myocardial metabolism uniform? 648 P  
— see also McGhie I et al
- TWEDDEL A C see Simpson I A et al  
    Tan L B et al
- TYNAN M see Allan L D et al  
    Ladusans E J et al
- TYNAN M J see Allan L D et al  
    Reidy J F et al
- UEBIS R see von Essen R et al
- UNDERWOOD S R Radionuclide ventriculography in coronary artery disease: correspondence 658
- (& Klipstein R H, Firmin D N, Fox K M, Poole-Wilson P A, Rees R S O, Longmore D B) Magnetic resonance quantification of atrial shunting and valvar regurgitation 616 P  
— see also Rees R S O et al
- UPWARD J (& Challenor V, Sutherland G R) "Physiological" tricuspid and pulmonary regurgitation: their varying incidence in a representative adult cardiac population 618 P
- UTHER J B see Dennis A R et al
- VALDIGUIE P see Douste-Blazy P et al
- VAN EENIGE M J see Verheugt F W A et al
- VAN EGMOND H (& Oreye W, Matthys D, Verhaaren H, Devloo-Blancaert A) Hypoplastic left heart syndrome and 45X karyotype 653 P
- VAN HOOGHUYSE D C A see Verheugt F W A et al
- VAN KUYK M see Kostucki W et al
- VAN LAKWIJK-VONDROVICOVA E see Sengers R C A et al
- VAN MERRIENBOER F see Kuijper P et al
- VAN RENSEBURG J P see Gordon N F et al
- VEDIN A see Dellborg M et al
- VENABLES A W see del Torso S et al
- VERHAAREN H see van Egmond H et al
- VERHEUGT F W A (& van Eenige M J, Res J C J, Simoons M L, Serruys P W, Vermeer F, van Hoogenhuyze D C A, Remme P J, de Zwaan C, Baer F) Bleeding complications of intracoronary fibrinolytic therapy in acute myocardial infarction. Assessment of risk in a randomised trial 455
- VERMEER F see Verheugt F W A et al
- WESTERLUND T (& Thomsen P E B, Hansen O K) Anomalous origin of the left coronary artery from the pulmonary artery in an adult: case report 110
- VEYRAT C (& Witchitz S, Lessana A, Ameur A, Abitbol G, Kalmanson D) Valvar prosthetic dysfunction. Localisation and evaluation of the dysfunction using the Doppler technique 273
- VINCENT R see Lewis S et al  
    Taylor D I & Vincent R
- VLIETSTRA R E see Sugrue D D et al
- VON ARNIM T (& Höfling B, Schreiber M) Characteristics of episodes of ST elevation or ST depression during ambulatory monitoring in patients subsequently undergoing coronary angiography 484
- VON ESSEN R (& Schmidt W, Uebis R, Edelmann B, Effert S, Silny J, Rau G) Myocardial infarction and thrombolysis. Electrocardiographic short term and long term results using precordial mapping 6
- VONDROVICOVA E VAN LAKWIJK- see VAN Lakwijk-Vondrovicova E
- WAGENVOORT C A Management of primary pulmonary hypertension: correspondence 554  
— see also Yamaki S & Wagenvoort C A
- WAINWRIGHT R J see Davies D W et al
- WALESBY R K see Kay P H et al
- WALKER J see Cheesman M G et al
- WALKER L see Timmis A D et al
- WALKER P R see Papouchado M et al
- WALTON S (& Costa D C, Ell P J, Emanuel R W) Myocardial imaging with iodine-123 meta-iodobenzylguanidine 617 P
- WANN L S see Daley P J et al
- WARNES C see Somerville J & Warnes C
- WARNES C A (& Somerville J) The fate of adults with tricuspid atresia and normally related great arteries 640 P
- WEBB-PEPLOE M M see Dawson J R et al  
    Joy M et al
- WEIL J (& Lang R E, Brangenberg R, Sebening W, Döhlemann C, Bühlmeyer K) Atrial distension may be a stimulus for the release of atrial natriuretic peptide in children with cardiac diseases 624 P
- WEISSBERG P L see Smith S A et al
- WESTABY S see Ribeiro P et al
- WESTGATE C see Crake T et al  
    Shapiro L M et al
- WHEATLEY D J see Simpson I A et al
- WHITFIELD A G W Bicentenary of *An Account of the Foxglove* 253
- WIESHAMMER S (& Delagardelle C, Sigel H A, Henze E, Adam W E, Stauch M) Radionuclide ventriculography in coronary artery disease: correspondence reply 658
- WILLIAMS B C see Shaw T R D et al
- WILLIAMS D G (& Olsen E G J) Prevalence of overt dilated cardiomyopathy in two regions of England 153
- WILLIAMS E D see Gibson C J et al
- WILSON A G see Dawkins K D et al
- WILSON N see Goldberg S J et al
- WILSON P A POOLE- see Poole-Wilson P A
- WILSON J see Cleland J et al
- WINKLER C see Reske S N et al
- WITCHITZ S see Veyrat C et al
- WLADIMIROFF J W see Stewart P A et al
- WOOD D see Savill J et al
- WRAIGHT E P see Ormerod O J M et al  
    Stone D L et al  
    Taylor N C et al
- WREN C (& Campbell R W F, Hunter S) Role of echocardiography in differential diagnosis of broad complex tachycardia 166
- WRIGHT B Y see Sanderson J E et al
- WRIGHT C see Levy R D et al  
    Quyyumi A A et al
- WRIGHT C A see Quyyumi A A et al
- WRIGHT C M see Quyyumi A A et al
- WRIGHT J E C see Kay P H et al
- WYSE R K H see Ortiz E et al  
    Robinson P J et al
- YACOUB M see Quyyumi A A et al
- YACOUB M H see Gibbs J L et al  
    Mitchell A G & Yacoub M H  
    Yusuf S et al
- YAMAKI S (& Wagenvoort C A) Comparison of primary plexogenic arteriopathy in adults and children. A morphometric study in 40 patients 428
- YUSHAK M see Packer M et al
- YUSUF S (& Mitchell A, Yacoub M H) Interrelation between donor and recipient heart rates during exercise after heterotopic cardiac transplantation 173
- ZAIBAG M AL see Al Zaibag M
- ZERBE F (& Ponizynski A, Dyszkiewicz W, Ziemiński A, Dzięgielewski T, Krug H) Functionless retained pacing leads in the cardiovascular system. A complication of pacemaker treatment 76
- ZEZULK A see Petri M P et al
- ZHANG Y (& Ihlen H, Myhre E, Levorstad K, Nitter-Hauge S) Measurement of mitral regurgitation by Doppler echocardiography 384
- ZIEMIŃSKI A see Zerbe F et al
- ZWAAN C DE see Zwaan C

## SUBJECT INDEX

1985, Volume 54

- Ablation with low energies, AV nodal conduction (*Boyd et al.*). 651 *P*  
Absent pulmonary valve syndrome, surgical treatment (*de Leval et al.*). 629 *P*  
Ambulatory monitoring, characteristics of episodes of ST elevation or ST depression during (*von Arnim et al.*). 484  
Ambulatory pulmonary artery pressure monitoring, in angina pectoris evaluation (*Levy et al.*). 643 *P*  
Ambulatory pulmonary artery pressure monitoring, and significance of painless ST segment depression (*Levy et al.*). 623 *P*  
Amiodarone, effect on arrhythmia and left ventricular function in heart failure (*Cleland et al.*). 647 *P*  
Amiodarone, effect on pulmonary function (*Higginson et al.*). 612 *P* for improved survival in hypertrophic cardiomyopathy and ventricular tachycardia: correspondence (*Crick: McKenna*). 550 and sotalol, in ischaemic myocardium, contrasting effects (*Cobbe & Manley*). 645 *P*  
Aneurysm, left ventricular, the Wessex experience (*Keenan et al.*). 269  
Angina pectoris acute, functional effects of regional left ventricular asynchrony during (*Dawson & Gibson*). 621 *P*  
ambulatory pulmonary artery pressure monitoring evaluation (*Levy et al.*). 643 *P*  
complicated by arrhythmias, effect of percutaneous transluminal coronary angioplasty (*Molajo et al.*). 375  
exertional and rest, effects of beta blocker, calcium antagonist, and nitrate (*Quyyumi et al.*). 643 *P*  
importance of chest pain in determining degree of ischaemia (*Quyyumi et al.*). 22  
and myocardial revascularisation (*Quyyumi et al.*). 557  
with normal coronary arteries, effects of vasodilators on exercise capacity and myocardial oxygen supply (*Bugiardini et al.*). 610 *P*  
post-myocardial infarction, natural history (*Daly et al.*). 610 *P*  
refractory variant, management with benzhexol hydrochloride (trihexyphenidyl hydrochloride): case report (*Joy et al.*). 448  
reoperation after previous aorto-coronary bypass surgery; correspondence (*Freeman & Nixon: Pidgeon*). 552  
unstable, effects of early PTCA on clinical course (*Timmis et al.*). 627 *P*  
and sudden ischaemic death, intramyocardial platelet emboli (*Davies & Thomas*). 636 *P*  
Angiocardiography and cross sectional echocardiography, correlation in criss cross hearts (*Robinson et al.*). 61  
Angiography, coronary, reverse delta wave as reliable sign of impending ventricular fibrillation (*Crick*). 645 *P*  
Angioplasty balloon, in congenital heart disease (*Miller*). 285  
percutaneous transluminal coronary see *Percutaneous transluminal coronary angioplasty*  
Angiotensin converting enzyme inhibitors, in heart failure (*Dollery & Corr*). 234  
Aorta, Aortic arch interrupted, management (*Bunton et al.*). 625 *P*  
persistent left sided fifth, neonate: case report (*Cabrera et al.*). 105  
ascending Doppler measurement during exercise (*Daley et al.*). 562  
compliance, mitral valve prolapse, and skin collagen, in joint hypermobility syndrome (*Handler et al.*). 501  
left ventricular tunnel, management: case report (*Ribeiro et al.*). 333  
regurgitation, assessment of ventricular function by phase analysis of equilibrium radionuclide ventriculography (*Ormerod et al.*). 638 *P*  
captopril mediated decrease (*Reske et al.*). 415  
stenosis, in adults, measured by Doppler echocardiography (*Hengraeves & Hatle*). 396  
beneficial effect of beta blockade (*Stockins et al.*). 655 *P*  
valvar, and hypertrophic cardiomyopathy, comparison of ejection dynamics (*Stockins et al.*). 621 *P*  
Aortic valve replacement, post-pericardiotomy syndrome and coronary occlusion after, association between: case report (*de Scheerder et al.*). 445  
prolapse, prevalence and clinical significance (*Shapiro et al.*). 179  
Aortitis, diffuse non-specific, with multiple saccular aneurysms and aorto-enteric fistula: case report (*Mukhopadhyay et al.*). 102  
Aortocoronary bypass surgery, reoperation for angina: correspondence (*Freeman & Nixon: Pidgeon*). 552  
*see also Coronary artery bypass*  
Aortography, descending, with balloon inflation (*Rao*). 527  
Apolipoprotein B values, skin, in normocholesterolaemic patients with coronary artery disease, a discriminatory test: correspondence (*Dousté-Blazy et al.*). 452  
Arrhythmias atrial, after cardiopulmonary bypass, sotalol in (*Campbell et al.*). 86  
complicating angina, effect of percutaneous transluminal coronary angioplasty (*Molajo et al.*). 375  
in hypertrophic cardiomyopathy, children and adolescents, incidence and relation to prognosis (*McKenna et al.*). 632 *P*  
and left ventricular function, in heart failure, effect of amiodarone (*Cleland et al.*). 647 *P*  
and left ventricular hypertrophy in essential hypertension (*McLennan et al.*). 645 *P*  
ventricular, spontaneous variability and effect on optimal duration of electrocardiographic monitoring required (*Mulrow et al.*). 644 *P*  
Artefactual ST segment abnormalities, due to electrocardiograph design (*Taylor & Vincent*). 121  
Arteriograms, coronary, routine diagnostic, for regional myocardial shortening assessment (*Perry & Shiu*). 620 *P*  
Aspirin treatment, and prostacyclin production in saphenous vein (*Angelini et al.*). 636 *P*  
Atenolol, effect on physiological response to exercise (*Gordon et al.*). 96  
Atheromatous wall, ultraviolet laser wavelengths selected for (*Barker et al.*). 635 *P*  
Atrial distension, stimulus for release of atrial natriuretic peptide, in children with cardiac diseases (*Weil et al.*). 624 *P*  
fibrillation, and chronic nicotine ingestion: case report (*Stewart & Catterall*). 222  
induced by implanted automatic defibrillator: case report (*Jordaens et al.*). 605  
in Wolff-Parkinson-White syndrome, effect of exercise on ventricular response (*Crick et al.*). 80  
septal defect, functional and anatomical correlates, echocardiography (*Forfar & Godman*). 193  
preoperative and post-operative pulmonary function tests, relation to pulmonary artery pressure and pulmonary: systemic flow ratio (*Schofield et al.*). 577  
shunting and valvar regurgitation, magnetic resonance quantification (*Underwood et al.*). 616 *P*  
spleen, right, presenting as atrial tumour: case report (*Kuijjer et al.*). 337  
stimulation, sinus node sequences after, similarities of effects of different methods (*Heddle et al.*). 568

- Atrioventricular conduction, transvenous fulguration of, exercise capacity and heart rhythm following (Schofield *et al.*) 614 P  
 re-entry tachycardia, adaptation of overdrive pacing rate for termination with change in posture, relevance for automatic software pacemakers (Rowland *et al.*) 642 P  
 and sinoatrial block, in thyrotoxic crisis: case report (Kramer *et al.*) 600
- Balloon inflation, and descending aortography (Rao) 527  
 valvuloplasty and angioplasty, in congenital heart disease (Miller) 285  
 valvuloplasty, percutaneous, for pulmonary valve stenosis, infants and children (Sullivan *et al.*) 435
- Behcet's disease, valve prolapse (Lu-Li *et al.*) 100
- Benzhexol hydrochloride (trihexyphenidyl hydrochloride), in management of refractory variant angina: case report (Joy *et al.*) 448
- Beta blockade in aortic stenosis, beneficial effect (Stockins *et al.*) 655 P  
 compared with flecainide, in ventricular response during exercise in established atrial fibrillation in digitalised patients (Agarwal *et al.*) 611 P  
 effect on potassium homeostasis following myocardial infarction (Petri *et al.*) 646 P  
 calcium antagonist, and nitrate, in exertional and rest angina (Quyyumi *et al.*) 643 P
- Bleeding complications of intracoronary fibrinolytic therapy, in myocardial infarction, assessment of risk in a randomised trial (Verheugt *et al.*) 455
- Blood coronary, transit, effects of nifedipine assessed by parametric digital subtraction angiography (Hayward *et al.*) 650 P  
 pressure, linoleic acid, leucocyte sodium transport, and free calcium (Heagerty *et al.*) 635 P
- Breathlessness, in chronic heart failure, origins (Lipkin & Poole-Wilson) 609 P
- Budgeting, clinical, in cardiology and cardiac surgery (Parker *et al.*) 631 P
- Calcitonin gene related peptide, and coronary vasodilatation (McEwan *et al.*) 643 P
- Calcium antagonist, beta blocker, and nitrate, in exertional and rest angina (Quyyumi *et al.*) 643 P  
 blockade, attenuation of abnormal response to cold pressor stimulation in ischaemia and normal coronary arteries (Dymond *et al.*) 637 P  
 free, linoleic acid, leucocyte sodium transport, and blood pressure (Heagerty *et al.*) 635 P  
 role in induction of cardiac hypertrophy and myofibrillar disarray (Pearce *et al.*) 420
- Captopril adding, or increasing diuretics, in moderate cardiac failure (Cowley *et al.*) 638 P  
 concentrations, plasma free, during short and long term treatment with oral captopril for heart failure (Shaw *et al.*) 160  
 mediated decrease of aortic regurgitation (Reske *et al.*) 415
- Cardiac failure *see* Heart failure  
 hypertrophy, hypertrophic cardiomyopathy, and hyperparathyroidism, an association (Symons *et al.*) 539  
 infarction, treated with intravenous streptokinase, follow up to two years in 108 patients (O'Keefe *et al.*) 619 P  
 mortality, and changing digoxin potency, England and Wales 1968-76 (Tunstall-Pedoe) 243  
 rejection from intramyocardial markers, functional correlates (Amende *et al.*) 653 P  
 surgery, prostacyclin therapy during (Fessatidis *et al.*) 629 P  
 subpulmonary pleural effusions after, children (O'Callaghan *et al.*) 593
- transplantation: correspondence (Hess) 555  
 heterotopic, interrelation between donor and recipient heart rates during exercise after (Yusuf *et al.*) 173  
 orthotopic, conduction between donor and recipient atria following (Mitchell & Yacoub) 615 P
- tumour, with characteristics of splenic tissue: case report (Kuijjer *et al.*) 337
- Cardiomyopathy, familial right ventricular dilated (Ibsen *et al.*) 156  
 overt dilated, prevalence in two regions of England (Williams & Olsen) 153  
*see also* Hypertrophic cardiomyopathy
- Cardiopulmonary bypass atrial arrhythmias after, sotalol in (Campbell *et al.*) 86  
 hypertension after, factors relating to development (Cooper *et al.*) 91
- Cardiovascular fitness, improving coronary risk profile (Findlay *et al.*) 656 P
- Cardioversion, temporary transvenous, for recurrent ventricular tachyarrhythmias (Lewis *et al.*) 612 P
- Cataract, congenital, hypertrophic cardiomyopathy associated with mitochondrial myopathy of voluntary muscles (Sengers *et al.*) 543
- Catheterisation, cardiac, data, and Doppler estimates of aortic flow velocities, pitfalls in comparison (Carreras *et al.*) 649 P
- Cerebral consequences of coronary artery surgery (Smith *et al.*) 630 P
- Chest pain, importance in determining degree of ischaemia in angina pectoris (Quyyumi *et al.*) 22
- Chylopericardium, rare complication of a Waterston shunt: case report (Hamilton *et al.*) 548
- Cold pressor stimulation, attenuation by calcium blockade of abnormal response in ischaemia and normal coronary arteries (Dymond *et al.*) 637 P
- Collagen, skin, mitral valve prolapse, and aortic compliance, in joint hypermobility syndrome (Handler *et al.*) 501
- Computed tomography, urine, to estimate coronary artery bypass graft patency (Rees *et al.*) 655 P
- Conduction between donor and recipient atria, following orthotopic cardiac transplantation (Mitchell & Yacoub) 615 P
- Congenital heart disease children, prostacyclin in enhancement of selective pulmonary vasodilator effect of oxygen (Bush *et al.*) 625 P  
 different types, lung biopsies, computed-assisted structural and functional correlations (Hayworth) 625 P  
 embolisation procedures (Reidy *et al.*) 184  
 familial recurrence (Allen *et al.*) 613 P  
 spectrum detected echocardiographically in prenatal life (Allan *et al.*) 523  
 first year of life, necropsy study (Heagerty *et al.*) 583
- Coronary artery bypass surgery, graft assessment, digital subtraction angiography, clinical applicability (Hayward & Hunter) 357  
 patency estimation, by cine computed tomography, sensitivity and specificity (Rees *et al.*) 655 P  
 and hyperlipidaemia: correspondence (Singh & Sosa-Thompson & Sapsford) 453  
 to right coronary artery, with and without endarterectomy, patency at one year (Kay *et al.*) 489  
 left ventricular aneurysmectomy and improvement of ventricular function (Taylor *et al.*) 145  
 neurological complications (Shaw *et al.*) P  
*see also* Aortocoronary bypass  
 new septal wall motion abnormalities, role of transient ischaemia and perioperative myocardial infarction (Ribeiro *et al.*) 140  
 reoperation for angina: correspondence (Freeman & Nixon: Pidgeon) 552  
 right, with and without endarterectomy, patency at one year (Kay *et al.*) 489

- artery disease, detection, exercise technetium ventriculography and exercise thallium imaging compared (McGhie *et al.*) 617 *P*  
 lipoprotein profiles in veteran endurance athletes and age matched subjects (Northcote *et al.*) 647 *P*  
 prevention and screening, strategies: editorial (Oliver). 1  
 and radionuclide ventriculography: correspondence (Underwood: Wieshamer *et al.*) 658  
 skin apolipoprotein B values in normocholesterolaemic patients, a discriminatory test: correspondence (Doustebazy *et al.*) 452  
 three vessel, coronary anatomy in various manifestations of (Quyyumi *et al.*) 362  
 ectasia, prevalence and clinical significance in 4993 patients (Hartnell *et al.*) 392  
 left, anomalous origin, from pulmonary artery, adult: case report (Vesterlund *et al.*) 110  
 anomalous origin from pulmonary artery: ligation versus establishment of two coronary systems (Burton *et al.*) 624 *P*  
 main stem, stenosis (Cheesman *et al.*) 631 *P*  
 normal, and ischaemia, attenuation by calcium blockade of abnormal response to cold pressor stimulation (Dymond *et al.*) 637 *P*  
 occlusion, acute, during percutaneous transluminal coronary angioplasty (Shiu *et al.*) 129  
 and post-pericardiotomy syndromes, after aortic replacement, association between: case report (de Scheerder *et al.*) 445  
 perforation, benign, during percutaneous transluminal coronary angioplasty (Meier) 33  
 surgery, cerebral consequences (Smith *et al.*) 630 *P*  
 trials, practical implications: review (Julian) 343  
 thrombus, risk factor for acute vessel occlusion during percutaneous transluminal coronary angioplasty, improving results (Sugrue *et al.*) 627 *P*  
 blood transit, effects of nifedipine assessed by parametric digital subtraction angiography (Hayward *et al.*) 650 *P*  
 ostial stenosis, isolated, a previously unrecognised clinical syndrome (Miller *et al.*) 611 *P*  
 sinus, left of Valsalva *see* Valsalva, left coronary sinus  
 stenoses, multiple, and percutaneous transluminal coronary angioplasty (Ilssley & Ablett) 627 *P*  
 vasodilatation by calcitonin gene related peptide (McEwan *et al.*) 643 *P*  
 Corrections 114  
 Correspondence  
 Cardiac transplantation (Hess) 555  
 Coronary artery bypass grafting and hyperlipidaemia (Singh & Sosa: Thompson & Sapsford) 453  
 Improved survival with amiodarone in patients with hypertrophic cardiomyopathy and ventricular tachycardia (Crick: McKenna) 550  
 Lead specificity of the maximum ST/heart rate/slope response (Layton) 554  
 Left ventricular gradients in hypertrophic cardiomyopathy (Pollick: McKenna & Sugrue) 113  
 Management of primary pulmonary hypertension (Wagenvoort: Oakley) 554  
 Pathways of preferential arterial conduction (Anderson & Becker) 226  
 Radionuclide ventriculography in coronary artery disease (Underwood: Wieshamer *et al.*) 658  
 Reoperation for angina after previous aortocoronary bypass surgery (Freeman & Nixon: Pidgeon) 552  
 Skin apolipoprotein B values in normocholesterolaemic patients with coronary artery disease: a discriminatory test? (Doustebazy *et al.*) 452  
 Criss cross hearts, cross sectional echocardiography and angiography, correlation (Robinson *et al.*) 61  
 Cross sectional echocardiography and angiography, correlation in criss cross hearts (Robinson *et al.*) 61  
 and colour Doppler, superimposed, simultaneous display, and localisation of ventricular septal defects (Ortiz *et al.*) 53  
 segmental wall motion analysis, reproducibility and sources of variability (Peart *et al.*) 617 *P*  
 DDD pacemakers and myopotential sensing (Sanderson *et al.*) 651 *P*  
 Death, sudden cardiac  
 ischaemic heart disease and prodromes (Madsen). 27  
 and unstable angina, intramyocardial platelet emboli (Davies & Thomas) 636 *P*  
 postmortem coronary arteriography following (Dawkins *et al.*) 611 *P*  
 Defibrillator, automatic, implanted, inducing atrial fibrillation, efficacy: case report (Jordaens *et al.*) 605  
 Diabetes  
 and impairment of left ventricular function, evidence for specific heart muscle disease (Fisher *et al.*) 656 *P*  
 myocardial infarct size and mortality (Gwilt *et al.*) 466  
 Digital subtraction angiography in coronary artery bypass graft assessment, clinical applicability (Hayward & Hunter) 357  
 Digitalis  
 bicentennial celebrations of Withering, William: *An account of the Foxglove* 251  
 and cardiac glycosides (Hollman) 258  
*Digitalis lanata*, cultivation and breeding, Netherlands (Mast-enbroek) 262  
 where are we now: editorial (Chamberlain) 227  
 Withering and the foxglove: the making of a myth (Krikler) 256  
 Digoxin  
 in heart failure (Dollery & Corr) 234  
 potency, changes, and cardiac mortality, England and Wales 1968-76 (Tunstall-Pedoe) 243  
 rapid plasma, assay, in outpatients, useful routine technique (Savill *et al.*) 248  
 Disopyramide and flecainide compared, in suppressing chronic ventricular premature complexes (Trosser *et al.*) 644 *P*  
 Diuretic(s)  
 induced hypokalaemia, arrhythmogenic potential, in mild hypertension and ischaemic heart disease (Stewart *et al.*) 290  
 increasing, or adding captopril, in moderate cardiac failure, comparison (Cowley *et al.*) 638 *P*  
 resistant cardiac failure, fluid removal by haemofiltration: case report (Morgan *et al.*) 218  
 Dopexamine, acute haemodynamic and metabolic effects of new dopaminergic receptor agonist, in chronic heart failure (Dawson *et al.*) 313  
 Doppler echocardiography  
 colour, and cross sectional echocardiographic images, superimposed, simultaneous display, and localisation of ventricular septal defects (Ortiz *et al.*) 53  
 evaluation of aortic flow velocities and cardiac catheterisation data, pitfalls in comparison (Carreras *et al.*) 649 *P*  
 of discrete subvalvar and multilevel outflow tract obstruction, congenital heart disease (Sutherland *et al.*) 626 *P*  
 of elliptical area technique for calculating mitral blood flow (Goldberg *et al.*) 68  
 investigational bioprosthetic valve replacement, 155 patients (Simpson *et al.*) 631 *P*  
 of pressure gradient in infundibular pulmonary stenosis (Houston *et al.*) 618 *P*  
 surgical shunt patency (Mulholland & Shields) 639 *P*  
 following anatomical correction of transposition of great arteries (Gibbs *et al.*) 652 *P*  
 investigations, two dimensional and pulsed, in early systolic murmurs, children (Jordan) 618 *P*  
 measurement in ascending aorta during exercise (Daley *et al.*) 562

- measuring aortic stenosis in adults (Hegrenae & Hatle). 396  
 measuring changes in left ventricular stroke volume (Ihlen *et al.*) 378  
 measuring mitral regurgitation (Zhang *et al.*). 384  
 for non-invasive haemodynamic assessment of mitral prosthetic function (Simpson *et al.*). 648 P  
 technique, in localisation and evaluation of valvar prosthetic dysfunction (Veyrat *et al.*). 273  
 two methods, pulmonary hypertension assessment (Thwaites *et al.*). 650 P
- Double outlet right ventricle**  
 early prenatal detection by echocardiography: case report (Stewart *et al.*). 340  
 and transposition of great arteries, anatomic correction, early and intermediate structural and functional considerations (Lincoln *et al.*). 639 P
- Drug treatment, heart failure** (Dollery & Corr). 234
- Ebstein's anomaly, diagnosis and natural history** (Radford *et al.*). 517
- Echocardiography**  
 changing features of hydatid cyst of heart: case report (Kostucki *et al.*). 224  
 to detect spectrum of congenital heart disease in prenatal life (Allan *et al.*). 523  
 for early prenatal detection of double outlet right ventricle: case report (Stewart *et al.*). 340  
 functional and anatomical correlates in atrial septal defect (Forfar & Godman). 193  
 role in differential diagnosis of broad complex tachycardia (Wren *et al.*). 166  
 sensitivity in infective endocarditis (Nihoyannopoulos *et al.*). 648 P  
 in tuberous sclerosis (Gibbs). 653 P
- Editorials**  
 Digitalis: where are we now? (Chamberlain) 227  
 Do we need a new standard for electrocardiographs? (Gold). 119  
 Strategies for preventing and screening for coronary heart disease (Oliver). 1  
 The challenge and the reproach of infective endocarditis (Goodwin). 115  
 Eisenmenger's syndrome, and heart-lung transplantation (McGregor *et al.*). 630 P
- Ejection dynamics, in hypertrophic cardiomyopathy and valvar aortic stenosis compared (Stockins *et al.*). 621 P
- Electrocardiograph, Mason-Likar "modified" exercise**, essentially identical to 12 standard leads (Papouchado *et al.*). 523 P
- Electrocardiography**  
 new standard: editorial (Gold). 119  
 ambulatory, in tuberous sclerosis (Gibbs). 653 P
- Emboli, platelet, intramyocardial**, in unstable angina and sudden ischaemic death (Davies & Thomas) 636 P
- Embolisation procedures**, in congenital heart disease (Reidy *et al.*). 184
- Emphysema, surgical**, causing permanent pacemaker failure: case report (Smith *et al.*). 220
- Enalapril**  
 in congestive cardiac failure, controlled trial (McGrath *et al.*). 405  
 effects in heart failure (Cleland *et al.*). 305  
 effects on renal function in heart failure (Cleland *et al.*). 655 P
- Endocarditis, infective (bacterial)** *see* Infective endocarditis
- Epoprostenol** *see* Prostacyclin
- Exercise**  
 ascending aorta during, Doppler measurement (Daley *et al.*). 562  
 electrophysiology in Wolff-Parkinson-White syndrome (Crick *et al.*). 80  
 physiological response, effect of atenolol (Gordon *et al.*). 96  
 radionuclide ventriculography, children, normal values for exercise variables and right and left ventricular function (Parrish *et al.*). 509
- testing, six weeks and 18 months after myocardial infarction, patients under 55 years (Peart *et al.*). 622 P
- ten days and three months after myocardial infarction compared, relation to pattern of coronary disease (Pumphrey *et al.*). 623 P
- transient Q waves followed by left anterior fascicular block during: case report (Rebuzzi *et al.*). 107
- ventriculography and exercise thallium imaging** compared (McGhee *et al.*). 617 P
- see also* other methods of testing and indications
- Fibrillation**  
 atrial, in Wolff-Parkinson-White syndrome, effect of exercise on ventricular response (Crick *et al.*). 80  
 ventricular, in right coronary angiography, reverse delta wave as reliable sign (Crick). 645 P
- Fibrinolytic therapy, intracoronary**, in myocardial infarction, bleeding complications (Verheugt *et al.*). 455
- Flecainide**  
 compared with beta blockade, in ventricular response during exercise in established atrial fibrillation in digitalised patients (Agarwal *et al.*). 611 P  
 and disopyramide compared, in suppressing chronic ventricular premature complexes (Trosser *et al.*). 644 P
- Four dimensional cardiac imaging** (Smith & Quarendon). 616 P
- Foxglove** *see* Digitalis
- Glycosides, cardiac**  
 in exertion of positive inotropism in sinus rhythm (Tan *et al.*). 654 P  
 and plants (Hollman). 258
- Gold-195m**, in quantification of intracardiac shunts, new radionuclide with short half life (Stone *et al.*). 495
- Haemofiltration**, for fluid removal in diuretic resistant cardiac failure: case report (Morgan *et al.*). 218
- Heart failure**  
 acute haemodynamic and metabolic effects of doxepamine, new dopaminergic receptor agonist (Dawson *et al.*). 313  
 chronic ischaemic, factors influencing survival and mode of death (Glover & Littler). 613 P  
 congestive, controlled trial of enalapril (McGrath *et al.*). 405  
 diuretic resistant, fluid removal by haemofiltration: case report (Morgan *et al.*). 218  
 drug treatment (Dollery & Corr). 234  
 effect of amiodarone on arrhythmia and left ventricular function (Cleland *et al.*). 647 P  
 effects of enalapril (Cleland *et al.*). 305: 655 P  
 milrinone in: part I. Acute effects on left ventricular systolic function and myocardial metabolism (Timmis *et al.*). 36, part II. Effects on exercise haemodynamics during short term treatment (Timmis *et al.*). 42  
 moderate, increasing diuretics or adding captopril, comparison (Cowley *et al.*). 638 P  
 origins of breathlessness (Lipkin & Poole-Wilson). 609 P  
 plasma free captopril concentrations during short and long term treatment with oral captopril (Shaw *et al.*). 160  
 severe, maximal force, fibre type, and enzymatic activity in quadriceps, mechanism for reduced exercise capacity (Lipkin *et al.*). 622 P
- Heart-lung transplantation**, for Eisenmenger's syndrome (McGregor *et al.*). 630 P
- Heart muscle disease, specific**, and impairment of left ventricular function in diabetes (Fisher *et al.*). 656 P
- Heart rates, donor and recipient**, during exercise after heterotopic cardiac transplantation (Yusuf *et al.*). 173
- Hydatid cyst of heart, changing echocardiographic features**: case report (Kostucki *et al.*). 224
- Hypercalcaemia**  
 idiopathic infantile, and associated cardiac anomalies, clinical and echocardiographic study (Balaram *et al.*). 652 P

- cardioplegic sodium and damage to vascular endothelium, studies on vascular responsiveness, rat heart (Saldanha *et al.*) 654 *P*  
intracoronary, localised, risk of laser angioplasty (Bowker *et al.*) 637 *P*
- Hyperlipidaemia, and coronary artery bypass grafting: correspondence (Singh & Sosa: Thompson & Sapsford). 453
- Hyperparathyroidism, cardiac hypertrophy, and hypertrophic cardiomyopathy, an association (Symons *et al.*) 539
- Hypertension  
after cardiopulmonary bypass, factors relating (Cooper *et al.*) 91  
essential, and arrhythmias and left ventricular hypertrophy. (McLenahan *et al.*) 645 *P*  
mild, inappropriate left ventricular hypertrophy in, echocardiographic study, middle aged subjects (Crake *et al.*) 649 *P*  
and ischaemic heart disease, arrhythmogenic potential of diuretic induced hypokalaemia (Stewart *et al.*) 290  
prevalence in habitually salted-tea drinkers, Northern Kashmir (Mir *et al.*) 613 *P*  
pulmonary, assessment by two Doppler echocardiographic methods (Thwaites *et al.*) 650 *P*
- Hypertrophic cardiomyopathy  
arrhythmia in children and adolescents, incidence and relation to prognosis (McKenna *et al.*) 632 *P*  
cardiac hypertrophy, and hyperparathyroidism, an association (Symons *et al.*) 539  
haemodynamic and symptomatic improvements using dual chamber pacing (Erwin *et al.*) 641 *P*  
left ventricular gradients: correspondence (Pollick: McKenna & Sugrue). 113  
and mitochondrial myopathy of voluntary muscles, and congenital cataract (Sengers *et al.*) 543  
and myofibrillar disarray, role of calcium (Pearce *et al.*) 420  
nuclear magnetic resonance in (Been *et al.*) 48  
simulating an infiltrative myocardial disease: case report (Frustaci *et al.*) 329  
and valvar aortic stenosis, comparison of ejection dynamics (Stockins *et al.*) 621 *P*  
and ventricular tachycardia, improved survival with amiodarone: correspondence (Crick: McKenna). 550
- Hypokalaemia, diuretic induced, arrhythmogenic potential, in mild hypertension and ischaemic heart disease (Stewart *et al.*) 290
- Hypoplastic left heart syndrome and 45X karyotype (van Egmond *et al.*) 653 *P*
- Hypothermic circulatory arrest, elective, as cause of brain damage (Ekroth *et al.*) 640 *P*
- Hypothyroidism, and asymmetric septal hypertrophy, children (Altman *et al.*) 533
- Imaging, cardiac  
four dimensional (Smith & Quarendon). 616 *P*  
myocardial, with iodine-123 meta-iodobenzylguanidine (Walton *et al.*) 617 *P*
- Infarct  
site, prognostic importance of exercise induced ST elevation post-infarction (Handler & Sowton). 646 *P*  
size, myocardial, and mortality, diabetic patients (Gwilt *et al.*) 466
- Infective endocarditis  
challenge and reproach: editorial (Goodwin). 115  
current incidence and mortality (Skehan *et al.*) 614 *P*  
sensitivity of echocardiography (Nihoyannopoulos *et al.*) 648 *P*
- Infundibular pulmonary stenosis, Doppler estimation of pressure gradient in (Houston *et al.*) 618 *P*
- Inotropes, in heart failure (Dollery & Corr). 234
- Inotropism, positive, in sinus rhythm, cardiac glycosides in exertion of (Tan *et al.*) 654 *P*
- Intracoronary thrombolysis, coronary reocclusion during, effect of nitrates (Hackett *et al.*) 619 *P*
- Intramyocardial markers, functional correlates of cardiac rejection (Amende *et al.*) 653 *P*
- Iodine-123 meta-iodobenzylguanidine, for myocardial imaging (Walton *et al.*) 617 *P*
- Ischaemia  
and sinus node disease (Linker *et al.*) 612 *P*  
transient role in genesis of new septal wall motion abnormalities after coronary bypass surgery (Ribeiro *et al.*) 140
- Ischaemic heart disease  
and mild hypertension, arrhythmogenic potential of diuretic induced hypokalaemia (Stewart *et al.*) 290  
and prodromes of sudden cardiac death (Madsen). 27
- Ischaemic myocardium, contrasting effects of amiodarone and sotalol (Cobbe & manley). 645 *P*
- Joint hypermobility syndrome, mitral valve prolapse, aortic compliance, and skin collagen in (Handler *et al.*) 501
- Laser  
angioplasty, coronary, in vivo, acute and chronic angiographic effects (Bowker *et al.*) 634 *P*  
localised intracoronary hyperkalaemia risk (Bowker *et al.*) 637 *P*
- argon, recanalisation of acutely thrombosed coronary arteries, live dogs (Fenech *et al.*) 628 *P*  
wavelengths selected for atheromatous as opposed to normal arterial wall (Bowker *et al.*) 635 *P*
- Lead specificity, maximum ST/heart rate slope response: correspondence (Layton). 554
- Left anterior fascicular block, following transient Q waves, during exercise: case report (Rebuzzi *et al.*) 107
- Leucocyte sodium transport, free calcium, linoleic acid, and blood pressure (Heagerty *et al.*) 635 *P*
- Linoleic acid, leucocyte sodium transport, free calcium, and blood pressure (Heagerty *et al.*) 635 *P*
- Lipoprotein profiles, in coronary artery disease, veteran endurance athletes, age matched subjects and controls (Northcote *et al.*) 647 *P*
- Lung biopsies, in different types of congenital heart disease, computer-assisted structural and functional correlations (Haworth). 625 *P*
- Main stem stenosis, safety (Cheesman *et al.*) 631 *P*
- Markers, intramyocardial, functional correlates of cardiac rejection (Amende *et al.*) 653 *P*
- Mason-Likar "modified" exercise electrocardiograph, essentially identical to 12 standard leads (Papouchado *et al.*) 623 *P*
- Meta-iodobenzylguanidine, iodine-123, for myocardial imaging (Walton *et al.*) 617 *P*
- Milrinone, in heart failure: part I. Acute effects on left ventricular systolic function and myocardial metabolism (Timmis *et al.*) 36,  
part II. Effects on haemodynamics during short term treatment (Timmis *et al.*) 42
- Mitral  
blood flow, calculation by Doppler echocardiography, evaluation of elliptical area technique (Goldberg *et al.*) 68  
prosthetic function, non-invasive haemodynamic assessment by Doppler ultrasound (Simpson *et al.*) 648 *P*  
regurgitation, measurement by Doppler echocardiography (Zhang *et al.*) 384  
valve prolapse, aortic compliance, and skin collagen, in joint hypermobility syndrome (Handler *et al.*) 501
- Mustard procedure, and transposition of great arteries, adults and adolescents (Somerville & Warnes). 633 *P*
- Myocardial  
infarct size and mortality, diabetic patients (Gwilt *et al.*) 466  
infarction, acute, early recanalisation, recommendation (Hugenholtz). 636 *P*  
exercise testing, six weeks and 18 months after, patients under 55 years (Peart *et al.*) 622 *P*  
at ten days and three months compared, relation to pattern of coronary disease (Pumphrey *et al.*) 623 *P*

- intracoronary fibrinolytic therapy, bleeding complications (Verheugt *et al.*) 455
- late potentials after, analysis of signal averaged surface electrocardiogram (Skehan *et al.*) 642 P
- left ventricular function four weeks after, effect of early treatment with propranolol (Brown *et al.*) 351
- non-Q-wave, classification according to electrocardiographic changes (Ogawa *et al.*) 473
- and percutaneous transluminal coronary angioplasty, results (Ilsley & Ablett) 620 P
- perioperative, role in genesis of new septal wall motion abnormalities after coronary bypass surgery (Ribeiro *et al.*) 140 post-, exercise induced ST elevation, prognostic importance and relation to site of infarct (Handler & Sowton) 646 P
- potassium homeostasis following, effect of beta blockade (Petri *et al.*) 646 P
- prognostic significance of delayed potentials and inducible ventricular tachycardia (Denniss *et al.*) 609 P
- and reciprocal ST depression (Odemuyiwa *et al.*) 479
- smoking and timolol (Rønnevik *et al.*) 134
- suitability of thrombolysis (Murray *et al.*) 620 P
- surgical versus non-surgical management (Brower *et al.*) 460
- and thrombolysis, ECG using precordial mapping (von Essen *et al.*) 6
- metabolism, uniformity (Tweddel *et al.*) 648 P
- rupture, occurrence and risk factors (Dellborg *et al.*) 11
- shortening, regional, assessment using routine diagnostic coronary arteriograms (Perry & Shiu) 620 P
- Myofibrillar disarray and hypertrophic cardiomyopathy, role of calcium (Pearce *et al.*) 420
- Myopathy, mitochondrial, of voluntary muscles, hypertrophic cardiomyopathy, and congenital cataract (Sengers *et al.*) 543
- Myopotential sensing and DDD pacemakers (Sanderson *et al.*) 651 P
- Natriuretic peptide, atrial, atrial distension as stimulus for release, children with cardiac diseases (Weil *et al.*) 624 P
- Nicotine ingestion, chronic, and atrial fibrillation: case report (Stewart & Catterall) 222
- Nifedipine, effects in coronary blood transit, parametric digital subtraction angiography assessment (Hayward *et al.*) 650 P
- Nitrates
- beta blocker, and calcium antagonist, in exertional and rest angina (Quyyumi *et al.*) 643 P
  - effect on coronary re-occlusion during intracoronary thrombolysis (Hackett *et al.*) 619 P
- Non-Q-wave myocardial infarction, classification according to electrocardiographic changes (Ogawa *et al.*) 473
- Notices 114, 226, 342, 454, 556, 660
- Nuclear magnetic resonance
- assessment of left ventricular wall motion (Rees *et al.*) 650 P
  - in hypertrophic cardiomyopathy (Been *et al.*) 48
  - quantification of atrial shunting and valvar regurgitation (Underwood *et al.*) 616 P
- Pacemakers
- automatic software, relevance in adaptation of overdrive pacing rate for termination of AV re-entry tachycardia with change in posture (Rowland *et al.*) 642 P
  - DDD, and myopotential sensing (Sanderson *et al.*) 651 P
  - insertion and therapy in cardiothoracic centre, eleven years' experience (Greenbaum & Balcon) 615 P
  - multi-programmable, essential for pacing in children (Ladusans *et al.*) 632 P
  - permanent, failure due to surgical emphysema: case report (Smith *et al.*) 220
- Pacing
- dual chamber, in hypertrophic cardiomyopathy, haemodynamic and symptomatic improvements (Erwin *et al.*) 641 P
  - leads, functionless retained, cardiovascular system, complicating pacemaker treatment (Zerbe *et al.*) 76
- Parametric digital subtraction angiography, and assessment of effects of nifedipine on coronary blood transit (Hayward *et al.*) 650 P
- Percutaneous transluminal coronary angioplasty
- acute coronary occlusion during (Shiu *et al.*) 129
  - in acute myocardial infarction, results (Ilsley & Ablett) 620 P
  - benign coronary perforation during (Meier) 33
  - coronary artery thrombus as risk factor for acute vessel occlusion during, improving results (Sugrue *et al.*) 627 P
  - effect on arrhythmias complicating angina (Molajo *et al.*) 375
  - effects on clinical course of unstable angina (Timmis *et al.*) 627 P
  - emergency surgery following (Hamilton *et al.*) 634 P
  - prevention of regional myocardial ischaemia during, effects of infusing arterial blood (Timmis *et al.*) 628 P
  - results in multiple coronary stenoses (Ilsley & Ablett) 627
  - spontaneous recanalisation of side branches occluded during: case report (Shiu & Singh) 215
  - success and complication rates with and without previous myocardial infarction (Perry *et al.*) 634 P
  - timing for assessment by exercise testing (Polydorou *et al.*) 626 P
- Persistent ductus arteriosus, technique for evaluating size (Rao) 527
- Plants and cardiac glycosides (Hollman) 528
- Pleural effusions, subpulmonary, after cardiac surgery, children (O'Callaghan *et al.*) 593
- Plexogenic arteriopathy, primary, comparison in adults and children, 40 patients (Yamaki & Wagenvoort) 428
- Post-pericardiectomy syndrome and coronary occlusion after aortic valve replacement, association between: case report (de Scheerder *et al.*) 445
- Potassium homeostasis following myocardial infarction, effect of beta blockade (Petri *et al.*) 646 P
- Preferential arterial conduction, pathways: correspondence (Anderson & Becker) 226
- Prenatal
- detection, early of double outlet right ventricle by echocardiography: case report (Stewart *et al.*) 340
  - life, spectrum of congenital heart disease detected echocardiographically (Allan *et al.*) 523
- Propranolol, effect of early treatment on left ventricular function four weeks after myocardial infarction (Brown *et al.*) 351
- Prostacyclin
- production, in saphenous vein from patients receiving aspirin (Angelini *et al.*) 636 P
  - in enhancement of selective pulmonary vasodilator effect of oxygen in children with congenital heart disease (Bush *et al.*) 625 P
  - therapy during cardiac surgery (Fessatidis *et al.*) 629 P
- Pulmonary
- atresia, in prenatal life (Allan *et al.*) 640 P
  - staged repair, non-invasive assessment of pulmonary blood supply after (del Torno *et al.*) 209
  - blood supply, non-invasive assessment after staged repair of pulmonary atresia (del Torno *et al.*) 209
  - function tests, preoperative and postoperative, in atrial septal defect, relation to pulmonary artery pressure and pulmonary: systemic flow ratio (Schofield *et al.*) 577
  - hypertension, assessment by two Doppler echocardiographic methods (Thwaites *et al.*) 650 P
  - primary, management: correspondence (Wagenvoort: Oakley). 554
  - valve stenosis, and percutaneous balloon valvuloplasty, infants and children (Sullivan *et al.*) 435
  - vascular resistance, assessment in ventricular septal defect (Neutze *et al.*) 633 P
- Q waves, transient, followed by left anterior fascicular block during exercise: case report (Rebuzzi *et al.*) 107
- Quadriceps, patients with severe heart failure, maximal force, fibre

- type, and enzymatic activity in, mechanism for reduced exercise capacity (Lipkin *et al.*) 622 *P*
- Radionuclide ventriculography**  
 in coronary artery disease: correspondence (Underwood: Wieshammer *et al.*) 658  
 equilibrium, phase analysis, and assessment of ventricular function in aortic regurgitation (Ormerod *et al.*) 638 *P*  
 exercise, children, normal values for exercise variables and right and left ventricular function (Parrish *et al.*) 509
- Recanalisation**  
 argon laser, acutely thrombosed coronary arteries, live dogs (Fenech *et al.*) 628 *P*  
 early, in acute myocardial infarction, recommendation (Hugenholtz) 636 *P*
- Regurgitation**  
 aortic, assessment of ventricular function by phase analysis of equilibrium radionuclide ventriculography (Ormerod *et al.*) 638 *P*  
 mitral, measurement by Doppler echocardiography (Zhang *et al.*) 384  
 "physiological" tricuspid and pulmonary, varying incidence (Upward *et al.*) 618 *P*  
 valvar, and atrial shunting, magnetic resonance quantification (Underwood *et al.*) 616 *P*
- Renal function in heart failure**, effects of enalapril (Cleland *et al.*) 655 *P*
- Renin, plasma activity**, in prediction of haemodynamic and clinical responses (Packer *et al.*) 298
- Re-occlusion, coronary**, during intracoronary thrombolysis, effect of nitrates (Hackett *et al.*) 619 *P*
- Respiratory gas exchange**, in assessment of impaired ventricular function (Lipkin *et al.*) 321
- Revascularisation, myocardial**, in angina (Quyyumi *et al.*) 557
- Risk profile, coronary**, cardiovascular fitness improving (Findlay *et al.*) 656 *P*
- Saccular aneurysm**, rapid expansion on left coronary sinus of Valsalva, role for early surgical repair: case report (Faillace *et al.*) 442
- Salt intake, high**, in tea, and prevalence of hypertension, Northern Kashmir (Mir *et al.*) 613 *P*
- Saphenous vein**, from patients receiving aspirin, prostacyclin production (Angelini *et al.*) 636 *P*
- Screening, coronary heart disease**, strategies: editorial (Oliver). 1
- Segmental wall motion analysis** of cross sectional echocardiograms, reproducibility and sources of variability (Peart *et al.*) 617 *P*
- Septal hypertrophy, asymmetric, and hypothyroidism**, children (Altman *et al.*) 533
- wall, new, motion abnormalities, after coronary bypass surgery, role of transient ischaemia and perioperative myocardial infarction (Ribeiro *et al.*) 140
- Shunts**  
 intracardiac, quantification by gold-195m, new radionuclide with short half life (Stone *et al.*) 495  
 surgical, patency, assessment by Doppler (Mulholland & Shields) 639 *P*
- Sinoatrial and atrioventricular block**, in thyrotoxic crisis: case report (Kramer *et al.*) 600
- Sinus node**  
 disease, and ischaemia (Linker *et al.*) 612 *P*  
 sequences, after atrial stimulation, similarities of effects of different methods (Heddle *et al.*) 568
- Sinus rhythm**, and cardiac glycosides in exertion of positive inotropism (Tan *et al.*) 654 *P*
- Smoking and timolol**, after myocardial infarction (Rønnevik *et al.*) 134
- Sotalol**  
 and amiodarone, in ischaemic myocardium, contrasting effects (Cobbe & Manley) 645 *P*  
 in atrial arrhythmia, after cardiopulmonary bypass (Campbell *et al.*) 86
- ST segment**  
 artefactual, abnormalities, due to electrocardiograph design (Tayler — Vincent) 121  
 depression, reciprocal, in myocardial infarction (Odemuyiwa *et al.*) 479  
 painless, significance assessed by ambulatory pulmonary artery pressure monitoring (Levy *et al.*) 623 *P*  
 elevation, exercise induced, post-infarction, prognostic importance and relation to site of infarct (Handler & Sowton) 646 *P*  
 or ST depression, characteristics of episodes during ambulatory monitoring (von Arnim *et al.*) 484  
 heart rate slope response, maximum, lead specificity: correspondence (Layton) 554
- Starr-Edwards**  
 aortic valve replacement, isolated, long term evaluation (Hackett *et al.*) 629 *P*  
 isolated mitral valve replacement, models 6400 and 6120, ten year clinical evaluation (Fessatidis *et al.*) 638 *P*
- Streptokinase, intravenous**, for severe early cardiac infarction, follow up to two years in 108 patients (O'Keeffe *et al.*) 619 *P*
- Subpulmonary pleural effusions**, after cardiac surgery, children (O'Callaghan *et al.*) 593
- Subvalvar, discrete, and multilevel outflow tract obstruction**, congenital heart disease, Doppler evaluation (Sutherland *et al.*) 626 *P*
- Surgical versus non-surgical management**, soon after myocardial infarction (Brower *et al.*) 460
- Tachyarrhythmias**, ventricular, recurrent, temporary transvenous cardioversion for (Lewis *et al.*) 612 *P*
- Tachycardia**  
 broad complex, role of echocardiography in differential diagnosis (Wren *et al.*) 166  
 ventricular, automatic diagnosis by new methods of electrogram analysis (Davies *et al.*) 641 *P*  
 improved survival with amiodarone: correspondence (Crick: McKenna) 550
- Thallium-201**, to coronary arteries, new technique for showing relation of tomographic myocardial perfusion images (Gibson *et al.*) 367
- Thrombolysis**  
 intracoronary, coronary reocclusion during, effect of nitrates (Hackett *et al.*) 619 *P*  
 and myocardial infarction, ECG using precordial mapping (von Essen *et al.*) 6  
 suitability in myocardial infarction (Murray *et al.*) 620 *P*
- Thyrotoxic crisis, atrioventricular and sinoatrial block**: case report (Kramer *et al.*) 600
- Transplantation, cardiac** see Cardiac transplantation
- Transplantation, heart-lung**, for Eisenmenger's syndrome (McGregor *et al.*) 630 *P*
- Timolol and smoking**, after myocardial infarction (Rønnevik *et al.*) 134
- Transposition of great arteries**  
 after Mustard procedure, adults and adolescents (Somerville & Warnes) 633 *P*  
 anatomical correction, Doppler echocardiography following (Gibbs *et al.*) 652 *P*  
 complete, with intact ventricular septum, left ventricular outflow tract obstruction, cross sectional echocardiography study (Robinson *et al.*) 201  
 and DORV, anatomic correction, early and intermediate structural and functional considerations (Lincoln *et al.*) 639 *P*
- Transvenous fulguration of atrioventricular conduction**, exercise capacity and heart rhythm following (Schofield *et al.*) 614 *P*
- Tricuspid atresia and normally related great arteries**, fate of adults (Warnes & Somerville) 640 *P*

- Tuberculoma, myocardial, with rupture and pseudoaneurysm formation, successful surgical treatment: case report (Halim *et al.*) 603
- Tuberous sclerosis  
echocardiography and ambulatory electrocardiography (Gibbs). 653 P  
and the heart, echocardiographic and electrocardiographic study (Gibbs). 596
- Two dimensional and pulsed Doppler investigations, early systolic murmurs, children (Jordan). 618 P
- Valsalva, left coronary sinus, and rapid expansion of a saccular aneurysm, role for early surgical repair: case report (Faillace *et al.*) 442
- Valves(s)  
prosthetic dysfunction, localisation and evaluation using Doppler technique (Veyrat *et al.*). 273  
regurgitation and atrial shunting, magnetic resonance quantification (Underwood *et al.*). 616 P  
prolapse, in Behcet's disease (Lu-Li *et al.*). 100  
replacement, bioprosthetic, degeneration, aortic versus mitral position compared (Ribeiro *et al.*). 630 P  
investigational, Doppler ultrasound assessment, 155 patients (Simpson *et al.*). 631 P  
mitral, isolated, Starr-Edwards models 6400 and 6120, ten year clinical evaluation (Fessatidis *et al.*). 638 P
- Valvuloplasty, balloon, in congenital heart disease (Miller). 285
- Vascular endothelium, damage, and hyperkalaemic cardioplegic solutions, studies on vascular responsiveness, rat heart (Saldanha *et al.*). 654 P
- Vasodilation therapy, in heart failure (Dollery & Corr). 234
- Ventricle, ventricular  
arrhythmia, spontaneous variability and effect on optimal duration of electrocardiographic monitoring required (Mulrow *et al.*). 644 P  
fibrillation, low energy endocardial countershock for treatment (Nathan *et al.*). 615 P  
in right coronary angiography, reverse delta wave as reliable sign (Crick). 645 P  
function, impaired, respiratory gas exchange in assessment (Lipkin *et al.*). 321
- left aneurysm, the Wessex experience (Keenan *et al.*). 269  
aneurysmectomy, and improvement of ventricular function in coronary bypass surgery (Taylor *et al.*). 145
- asynchrony, regional, during acute angina, functional effects (Dawson & Gibson). 621 P
- dysfunction, effect of xamoterol (Molajo & Bennett). 17
- function and arrhythmia, in heart failure, effect of amiodarone (Cleland *et al.*). 647 P
- four weeks after myocardial infarction, effect of early treatment with propranolol (Brown *et al.*). 351
- impairment in diabetics, evidence for specific heart muscle disease (Fisher *et al.*). 656 P
- gradients, in hypertrophic cardiomyopathy: correspondence (Pollick; McKenna & Sugrue). 113
- hypertrophy and arrhythmias in essential hypertension (McLennan *et al.*). 645 P  
inappropriate, in mild hypertension, echocardiographic study, middle aged subjects (Crake *et al.*). 649 P
- outflow tract obstruction, in complete transposition of the great arteries with intact ventricular septum, cross sectional echocardiography study (Robinson *et al.*). 201
- stroke volume changes measured by Doppler echocardiography (Ihlen *et al.*). 378
- wall motion, magnetic resonance assessment (Rees *et al.*). 650 P
- premature complexes, chronic, suppression, flecainide and disopyramide compared (Trosser *et al.*). 644 P
- septal defect, assessment of pulmonary vascular resistance (Neutze *et al.*). 633 P
- localisation by simultaneous display of superimposed colour Doppler and cross sectional echocardiographic images (Ortiz *et al.*). 53
- supernormal period, clinical significance in man (Butrous *et al.*). 641 P
- tachyarrhythmias, recurrent, temporary transvenous cardioversion for (Lewis *et al.*). 612. P
- tachycardia, automatic diagnosis by new methods of electrogram analysis (Davis *et al.*). 641 P  
improved survival with amiodarone: correspondence (Crick; McKenna). 550
- low energy endocardial countershock for treatment (Nathan *et al.*). 615 P
- Waterston shunt, chylopericardium a rare complication: case report (Hamilton *et al.*). 548
- Withering, William  
*An account of the Foxglove*, Historical address given at Edgbaston Parish Church, Birmingham (Whifield). 253  
bicentennial celebrations 251  
and the foxglove: the making of a myth (Krikler). 256
- Williams-Beuren syndrome and associated cardiac anomalies, clinical and echocardiographic study (Balaram *et al.*). 652 P
- Wolff-Parkinson-White syndrome, effect of exercise on ventricular response to atrial fibrillation (Crick *et al.*). 80
- Xamoterol (ICI 118587), effect on left ventricular dysfunction (Molajo & Bennett). 17